



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oeclicensing@ct.gov](mailto:oeclicensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

**CHILD CARE CENTER/GROUP CHILD CARE HOME  
 SUPPLEMENTAL INSPECTION**

<b>Program Name</b>	PRECISELY PANDAS CHILDCARE CENTER				<b>License Number</b>	DCCC.70643	<b>Date of Inspection</b>	07/16/2024
					<b>Expiration Date</b>	4/30/2026	<b>Time of Inspection</b>	09:10 AM
<b>Address</b>	1033 JOHN FITCH BLVD  SOUTH WINDSOR CT 06074-2425				<b>Telephone</b>	(860) 245-1285	<b>Total Capacity</b>	35
					<b>Days and Hours</b>	Monday - Friday 6:30am - 6:00pm	<b>Under Three Capacity</b>	22
<b>#Children Present</b>	33	<b># Under 3 Present</b>	20	<b># Staff Present</b>	10	<b>Summer Care</b>	Open	
<b>Purpose of Inspection</b>	Changes to physical plant				<b>Name of Inspector</b>	Dianna Wassenhove		
<b>Program's Email</b>	preciselypandas@gmail.com				<b>Inspector's Email</b>	dianna.wassenhove@ct.gov		

**Regulatory Violations**

<b>Statute and/or Regulation:</b> [19a-79-3a]	<b>Description:</b> 001b-Administration-Ensuring the safety, health & development of children
(a)Failed to ensure the safety, health and development of the children when the provider had up to eleven camp children present in unlicensed space downstairs and in the upstairs multi use room and unlicensed outdoor (see discussion)	
<b>Statute and/or Regulation:</b> 19a-79-3a or 19a-79-7a(c)(1)	<b>Description:</b> 001bb-Capacity
Failed to maintain licensed capacity when observed on sign in/out sheets for the week of July 8th more than 13 children over the age of three were present on site. Respectfully, July 10- 20 children, July 11 -19 children, July 12 - 21 children. See dis.	
<b>Statute and/or Regulation:</b> [19a-79-3a(c)]	<b>Description:</b> 005-Notification of Change
Failed to provide notification of change when provider converted a full wall to a half wall in a toddler classroom. When process for the change was discussed with provider during the 4-15-24 Full Inspection.	
<b>Statute and/or Regulation:</b> [19a-79-7a(b)(1) thru (4)]	<b>Description:</b> 047b-Plans for New Construction, Expansion, Renovation or Conversion
Failed to follow the standards established by local codes and ordinances when classroom wall was taken to a half wall without proper approval.	
<b>Statute and/or Regulation:</b> [19a-79-7a(d)(3)]	<b>Description:</b> 051-Designated Staff Toilet/Sink
Failed to designate a toilet and sink for the exclusive use of staff and other adults when observed a child using the adult only bathroom.	
<b>Statute and/or Regulation:</b>	<b>Description:</b>

Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
<b>Other Findings – Regulations In Compliance</b>	
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:

Statute and/or Regulation:	Description:

Statute and/or Regulation:	Description:




Statute and/or Regulation:	Description:

<u>YES/NO:</u> Yes	<b>WERE VIOLATIONS CITED DURING THIS VISIT?</b>
--------------------	---

**DISCUSSIONS/COMMENTS**

When observed five children outdoors on blacktop space which was not an approved space. In addition observed equipment hanging on hooks above cribs in the infant room. Provider has been aware since first licensed that the downstairs was not approved and not be used by any children.  
 Capacity continued - Provider exceeded her overall capacity of 35 children when observed attendance records for July 10 and 11 which showed respectfully 37 and 39 children on site.  
 Effective immediately, the approved additional outdoor space is withdrawn due to local health department concerns. Children may only be outside in the fenced in playgrounds. If local health approves of any additional space, licensing will re-evaluate the proposed space.

**NOTE:** Items left blank on this form were not monitored during this visit.  
 Only the regulations marked as compliant or non-compliant were monitored or discussed.  
**APPLICANTS:** You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:  <b>07/30/2024</b>	 (Signature of Person in Charge)
<b>Dianna Wassenhove</b> (Printed Name)	<b>Johann Dalo</b> (Printed Name)		<b>Emily Francis</b> (Printed Name)