



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	CADENCE ACADEMY PRESCHOOL				License Number	DCCC		Date of Inspection	07/23/2024	
					Expiration Date			Time of Inspection	08:30 AM	
Address	770 CONNECTICUT AVE NORWALK CT 06854-1637				Telephone	(860) 960-7568		Licensed Capacity	134	
					Hours of Operation	M-F 7am-6pm		Infant/Toddler Capacity	96	
Is this a Change of Address?	Yes?		No?	X				Summer Care	Open	
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	Tracy.cravanzola@cadence-education.com				
Operator	CADENCE EDUCATION, LLC				Name of Inspector	Lori Mangano				
Director	KASSANDRA VELEZ-MURALLES				Inspector's Email	lori.mangano@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	0	# of Total Children Present	0	# of Staff Present	1	Type of Inspection	INITIAL CREDENTIAL INSPECTION		

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 06/07/2024	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	08/29/2023
X	10. OEC Complaint procedure	
X	11. Food Service Certificate	N/A?
	Date	
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	12/16/2019	0.1
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. 32-36 mths enrolled in prek-permissions	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
O	18b. Background checks	Failed to ensure staff have completed background checks when BCIS roster was not created with staff.

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A?
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations	
X	38. Individual care plan (signed by parents and staff)	
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building and equipment when refrigerators/freezers throughout have moldy rubber seals, 5-missing outlet plate near sink and toilet seat broken and not attached, 11- under sink door hinge not secured and closing properly, 13-bathroom sink faucet not secured. Ceiling vents dusty throughout.
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 06/28/2024	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36”	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
O	67. Water temperature 60° – 115°	Failed to ensure the water temperature is between 60-115 degrees in multiple classrooms 117 degrees to 125.5 degrees.
X	68. Portable space heaters	
O	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair when observed stained ceiling tiles. Staff bathroom 3, 3 in staff lounge and room 1 has 1 in bathroom.
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails		
X	79. Pets – maintained, care plan	Y/N N	
X	80. Operable CO detector on each level	N/A? Y	
X	81. Program space-adequate square footage per child		
X	82. Equipment clean, good repair, safe, non-toxic		
X	83. Cots stored, maintained, adequate number		
X	84. Developmentally appropriate equipment		
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N	
X	86. No weapons, no facsimile of a firearm on premises		
OUTDOOR SPACE			
X	87. Outdoor space - adequate square footage per child		
X	88. Impact absorbing material under equipment		
X	89. Playground free from hazards		
X	92. Equipment anchored, safely arranged		
X	93. Outdoor play area protected, fenced		
X	94. Drinking water available, accessible		
EDUCATIONAL REQUIREMENTS 19a-79-8a			
X	95. Written plan for daily program available to parents/staff		
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up	
ADMINISTRATION OF MEDICATIONS 19a-79-9a			
X	97. Written policies, procedures		
X	98. Training outline on file		

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
X	140. Bottles individually identified with child's name			

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	



YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

All items checked were either discussed or observed today.
 Safe sleep, ratio, group size and supervision.
 Measurements taken from former program.
Rooms
 1=430.49 sq ft=8 children due to group size
 2=680.62=19 children (over 3s)
 3=420.98=8 children due to group size
 4=568.32=8 children due to group size
 5=689.73=19 children (over 3s)
 6=676.80=8 due to group size
 7=536.66=8 due to group size
 8=418.4=8 due to group size
 9=482.53=8 due to group size
 10=674.91= 8 due to group size
 11=383.56=8 due to group size
 12=428.12=8 due to group size
 13=443.51=8 due to group size
 14=457.66=8 due to group size
 Capacity 134/96
 40 child toilets
 12 child toilets
 Staff bathroom 2 toilets/2 sinks
 BCIS roster needs to be created with all staff
 Indoor porch area=672.63= 8 children over or under 3 and not in capacity
 Roof top playground
 Infant/PS=1820/75=24 over 3s or 8 under 3s (side A)
 Ages 2 and up=1873.04/75=24 over 3s or 8 under 3s (Side B)

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Lori Mangano (Printed Name)	 (Printed Name)		Kassandra Velez-Morales (Printed Name)