



DIVISION OF LICENSING

450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	KINGS CHAPEL EARLY CARE & EDUCATION CTR				License Number	DCCC.70024	Date of Inspection	07/29/2024		
					Expiration Date	9/30/2027	Time of Inspection	08:56 AM		
Address	400 WOODLAND ST HARTFORD CT 06112-2149				Telephone	(860) 560-0387	Licensed Capacity	52		
					Hours of Operation	MONDAY-FRIDAY 7:00AM-5:30PM	Infant/Toddler Capacity	32		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Water
					Program's Email	tgraham@kingschapeleducation.com				
Operator	KING'S CHAPEL EARLY CARE AND EDUCATION CENTER INC.				Name of Inspector	Johanne Dalo				
Director	TERRY GRAHAM				Inspector's Email	johanne.dalo@ct.gov				
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	17	# of Total Children Present	28	# of Staff Present	15	Type of Inspection	UNANNOUNCED INSPECTION - FULL		

LICENSURE PROCEDURES 19a-79-2a

O	1. Local Health Inspection Date: 11/02/2021	Failed to maintain current local health inspection.
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
O	9. Fire Marshal certificate	Failed to maintain a current fire marshal inspection.
	Date	11/29/2022
X	10. OEC Complaint procedure	
O	11. Food Service Certificate	<u>N/A?</u>
	Date	06/30/2024
		Failed to maintain a current Food Service Certificate.
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	<u>N/A?</u>
	Date	Results
	03/24/2012	0.3 pCi/L
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. 32-36 mths enrolled in prek-permissions	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

<input checked="" type="checkbox"/>	19. Designated Head Teacher																					
<input checked="" type="checkbox"/>	20. Two Staff present																					
<input checked="" type="checkbox"/>	20a. Staff Qualities																					
<input checked="" type="checkbox"/>	21. Ratio: 1 staff to 10 children																					
<input checked="" type="checkbox"/>	21b. Supervision																					
<input checked="" type="checkbox"/>	22. Group Size – maximum 20 children																					
<input checked="" type="checkbox"/>	23. Designated director - Training																					
<input checked="" type="checkbox"/>	24. CPR Certified Staff (Group Home N/A)																					
<input checked="" type="checkbox"/>	25. First Aid Trained Staff																					
<input type="checkbox"/>	26. Consultants- Agreements and Contracts	Failed to maintain current consultant agreements for Social Service and Education consultants. the Dietitian consultant's agreement is incomplete (missing items B-C-D-E-F-G from the regulations).																				
<input type="checkbox"/>	27. Logs – Visits documented	Failed to document annual review of policies, plans, procedures and education programs by Social Service and Dietitian consultants.																				
	Not in Compliance?	<table border="1"> <thead> <tr> <th>Education</th> <th>Health</th> <th>Social Service</th> <th>Dental</th> <th>Dietician N/A?</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td></td> <td><input type="checkbox"/></td> <td></td> <td></td> </tr> <tr> <td>Contracts</td> <td></td> <td><input type="checkbox"/></td> <td></td> <td></td> </tr> <tr> <td>Logs</td> <td></td> <td><input type="checkbox"/></td> <td></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Education	Health	Social Service	Dental	Dietician N/A?	<input type="checkbox"/>		<input type="checkbox"/>			Contracts		<input type="checkbox"/>			Logs		<input type="checkbox"/>		<input type="checkbox"/>
Education	Health	Social Service	Dental	Dietician N/A?																		
<input type="checkbox"/>		<input type="checkbox"/>																				
Contracts		<input type="checkbox"/>																				
Logs		<input type="checkbox"/>		<input type="checkbox"/>																		
	Do they take children swimming?	N SWIMMING																				
<input checked="" type="checkbox"/>	28. Non-swimmers identified																					
<input checked="" type="checkbox"/>	29. Staff/Child Ratios																					
<input checked="" type="checkbox"/>	30. CPR certified staff (20 years of age)																					
<input checked="" type="checkbox"/>	31. Lifeguard certified - supervision																					
RECORD KEEPING 19a-79-5a																						
<input checked="" type="checkbox"/>	32. Enrollment information																					
<input checked="" type="checkbox"/>	33. Emergency medical permission																					
<input checked="" type="checkbox"/>	34. Authorized release permission																					
<input checked="" type="checkbox"/>	35. Field trip permission																					
<input checked="" type="checkbox"/>	36. Transportation permission																					

X	37. Child health records and immunizations	
O	38. Individual care plan (signed by parents and staff)	Failed to maintain complete individual care plans when observed 2 care plans not signed by parent and failed to maintain individual care plans for a child will Benadryl.
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services free from hazards when observed kitchen knives accessible to children (in kitchen area), 2 cubbies not secured (preschool), large water bottle for cooler on top of children's shelf (preschool), pliers accessible to children (gross motor room),(see comments)
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 05/31/2024	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
O	62. Required toilets, sinks, supplies	Failed to provide at least 1 toilet and sink for every 16 children when observed 2 toilets used as storage.
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
O	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair when observed 8 stained ceiling tiles (Gross motor room, Room 5, preschool, and staff bathroom).
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N Y
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">O/T/I</td> <td style="width: 90%; text-align: center;">Injectable</td> </tr> <tr> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
○	102. Authorized prescriber, parent permission, MAR	Failed to maintain complete written orders when observed 1 form not signed by parent and 1 form stating 4 puff and child has a nebulizer.				
○	103. Labeling, storage	Failed to maintain proper storage of medication when observed Tylenol not locked (older infant room) and 3 nystatin creams not locked in toddler rooms.				
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
○	107. Approved petition for special medication authorization	Failed to petition the OEC for special medication permission when observed an expired OEC letter for special medication (expired 11/23/22). No current petition letter for Diastat was available at time of visit.				
Yes	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
X	109. Approved endorsement					
X	110. Ratio: 1 staff to 4 children					
X	111. Group size: no larger than 8					
X	112. Physical barriers, groups of 8 (indoors and outdoors)					
X	113. Adequate sinks in program space					
X	114. Free standing, well-constructed, safe cribs					
X	115. Washable cots					
X	116. Chairs for feeding, stable, safety straps, locking tray					
X	117. Developmentally appropriate tables, chairs, equipment					
X	118. Refrigerators and food prop facilities					

X	119. Diaper area-sturdy, safety rail, nonporous, exclusive use					
X	120. Diaper area-washed, disinfected					
X	121. Diaper area-disposable paper sheets					
X	122. Covered waste receptacle					
X	123. Diaper changing policy posted, followed					
X	124. Hand washing policy posted, followed					
X	125. Individual storage of personal items					
X	126. Cribs/cots washed and disinfected					
X	127. Under 12 months- placed on back for sleeping					
X	128. Alternate sleep position-equipment, medical documentation	<table border="1"> <tr> <td>Yes</td> <td>No</td> </tr> <tr> <td></td> <td>X</td> </tr> </table>	Yes	No		X
Yes	No					
	X					
X	129. Crib, bed used for infant sleeping					
X	130. Crib, bed free from observable hazards					
X	131. Infant toys separate, washed, disinfected daily					
O	132. No toys, objects less than 1/1/4" diameter	Failed to ensure small toys and other objects with a diameter of less than 1 1/4" are not accessible to children when observed small screw on top of wooden stove in room 3.				
X	133. Plastic bags, balloons, Styrofoam objects inaccessible					
X	134. Health consultant, doc. of visits					
X	135. Infants held for bottles, indiv. attention, tummy time					
X	136. Written statement, feeding schedule from parent					
X	137. Unused portions of liquids discarded					
X	138. Clean Bottles, disp. bottles, approved bottle washing					
X	139. Food served from dish or whole jar served					
X	140. Bottles individually identified with child's name					

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

X	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
----------	---	------	--



YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

(Continue #45)
 Water cooler not secured (gross motor room), plastic dramatic play furniture not secured (nursery), wooden play stove not secured (room 3), and observed a cracked toilet seat (room 3).
Discussion:
 - One spray paint bottle not locked (gross motor room)
 - One expired diaper cream form (10/20/23) and one diaper cream without parent permission.
 **** Revised complaint procedure was given to program at time of visit for them to post****

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of Person in Charge)
Johanne Dalo (Printed Name)	Lisa Feliciano (Printed Name)

DATE
CORRECTIONS
DUE BY:

08/12/2024