



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oe.licensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	KIDS OF CHATHAM ORGANIZATION				License Number	DCCC.15247	Date of Inspection	07/30/2024		
					Expiration Date	2/28/2025	Time of Inspection	08:30 AM		
Address	12 LONG CROSSING RD EAST HAMPTON CT 06424-2121				Telephone	(860) 267-6080	Licensed Capacity	149		
					Hours of Operation	MONDAY-FRIDAY 6:30AM-6:00PM	Infant/Toddler Capacity	40		
Is this a Change of Address?	Yes?		No?	X			Summer Care	Open		
New Address					Minimum Age Served	6 weeks	Maximum Age Served	12 years	Water Supply	Public Well
					Program's Email	Executivedirector@koco4kids.org				
Operator	KIDS OF CHATHAM ORGANIZATION INC				Name of Inspector	Karen Kellerman				
Director	JANET M SANTOS				Inspector's Email	karen.kellerman@ct.gov				
Key:	Compliant = X	# of Infants - Toddlers Present	20	# of Total Children Present	84	# of Staff Present	21	Type of Inspection	UNANNOUNCED INSPECTION - FULL	
Non-Compliant = O										

LICENSURE PROCEDURES 19a-79-2a

O	1. Local Health Inspection	Failed to maintain current local health inspection. Send copy to Agency
	Date:	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	

ITEMS POSTED – ACCESSIBLE

X	8. License	
X	9. Fire Marshal certificate	
	Date	06/24/2024
X	10. OEC Complaint procedure	
	11. Food Service Certificate	N/A?
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
X	15. Radon Test	N/A?
	Date	Results
	12/06/2019	1.0
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. 32-36 mths enrolled in prek-permissions	

STAFFING 19a-79-4a

X	15c. Staffing	
○	16. Staff Health records – TB tests	Failed to maintain current medical statement for 1 staff
X	17. Professional development	
X	18. Disciplinary actions	
X	18b. Background checks	

<input checked="" type="checkbox"/>	19. Designated Head Teacher																					
<input checked="" type="checkbox"/>	20. Two Staff present																					
<input checked="" type="checkbox"/>	20a. Staff Qualities																					
<input checked="" type="checkbox"/>	21. Ratio: 1 staff to 10 children																					
<input checked="" type="checkbox"/>	21b. Supervision																					
<input checked="" type="checkbox"/>	22. Group Size – maximum 20 children																					
<input checked="" type="checkbox"/>	23. Designated director - Training																					
<input checked="" type="checkbox"/>	24. CPR Certified Staff (Group Home N/A)																					
<input checked="" type="checkbox"/>	25. First Aid Trained Staff																					
<input type="radio"/>	26. Consultants- Agreements and Contracts	Failed to maintain current consultant agreement for dental																				
<input checked="" type="checkbox"/>	27. Logs – Visits documented																					
	Not in Compliance?	<table border="1"> <thead> <tr> <th>Education</th> <th>Health</th> <th>Social Service</th> <th>Dental</th> <th>Dietician N/A?</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td><input type="radio"/></td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Contracts</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Logs</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Education	Health	Social Service	Dental	Dietician N/A?				<input type="radio"/>	<input checked="" type="checkbox"/>	Contracts					Logs				
Education	Health	Social Service	Dental	Dietician N/A?																		
			<input type="radio"/>	<input checked="" type="checkbox"/>																		
Contracts																						
Logs																						
	Do they take children swimming?	N SWIMMING																				
<input checked="" type="checkbox"/>	28. Non-swimmers identified																					
<input checked="" type="checkbox"/>	29. Staff/Child Ratios																					
<input checked="" type="checkbox"/>	30. CPR certified staff (20 years of age)																					
<input checked="" type="checkbox"/>	31. Lifeguard certified - supervision																					
RECORD KEEPING 19a-79-5a																						
<input checked="" type="checkbox"/>	32. Enrollment information																					
<input checked="" type="checkbox"/>	33. Emergency medical permission																					
<input checked="" type="checkbox"/>	34. Authorized release permission																					
<input checked="" type="checkbox"/>	35. Field trip permission																					
<input checked="" type="checkbox"/>	36. Transportation permission																					

<input type="radio"/>	37. Child health records and immunizations	Failed to maintain current health records for 1 child. . Failed to maintain complete immunization records for 1 child missing flu shot	
<input checked="" type="checkbox"/>	38. Individual care plan (signed by parents and staff)		
<input checked="" type="checkbox"/>	39. Injury, Illness, Accident reports		
HEALTH AND SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	40. Nutritious snacks and meals (required food groups)		
<input checked="" type="checkbox"/>	41. Proper refrigeration (max 45°)		
<input checked="" type="checkbox"/>	42. Kitchen separated	N/A?	
<input checked="" type="checkbox"/>	43. Hand washing – before eating or food handling		
<input checked="" type="checkbox"/>	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory		
PHYSICAL PLANT 19a-79-7a			
<input type="radio"/>	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when observed dusty vents in boys/girls bathrooms, staff room and staff bathroom, in 108 bathroom, 105 bathroom, 101/102 and 103 rooms. Observed water stains in rooms 108, 105. Rusty microwaves in 103 and staff room. Dirty microwave in 106 and 101	
<input checked="" type="checkbox"/>	47b. Plans for new construction, expansion, renovation or conversion		
<input checked="" type="checkbox"/>	48. Sanitary drinking fountains – disposable cups		
<input checked="" type="checkbox"/>	49. Lead Water Test (N/A?) 07/25/2023	Bacterial/Chemical Test (N/A?)	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	50. Walkways maintained		
<input checked="" type="checkbox"/>	51. Designated staff toilet/sink		
<input checked="" type="checkbox"/>	52. All openings for ventilation screened		
<input checked="" type="checkbox"/>	53. Windows protected to prevent falls		
<input checked="" type="checkbox"/>	54. Glass protected up to 36”		
<input checked="" type="checkbox"/>	55. Overhead doors – locking devices, spring protectors		
<input checked="" type="checkbox"/>	56. Exits, Hallways and Stairs unobstructed		

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
O	67. Water temperature 60° – 115°	Failed to ensure the water temperature is between 60-115 degrees when observed water temperature 131.7 in room 110, 131.1 in room 109, 130.5 in room 108, 122.5 in room 107, 123.9 in room 101, and 120.2/122.7 in boys/girls bathrooms
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
O	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area in unlocked staff bathroom.
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N Y
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
X	88. Impact absorbing material under equipment	
X	89. Playground free from hazards	
O	92. Equipment anchored, safely arranged	Failed to ensure outdoor equipment is anchored for stability when observed 4 plastic climbers not anchored per manufacturing guidelines in under 3s playgrounds.
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS		
O	99. Administration, parent permission, MAR	Failed to maintain current written parent permission for medication for diaper creams-3 expired in room 108 and 1 expired in room 107. One form incomplete(no medication information filled out by parents) in room 108.
X	100. Labeling, storage	

ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					

SELF-ADMINISTRATION		
X	105. Authorized prescriber, parent permission, MAR	
X	106. Labeling, storage	
X	107. Approved petition for special medication authorization	

INFANT/TODDLER ENDORSEMENT 19a-79-10		
Yes	Is there an approved endorsement?	
X	109. Approved endorsement	
X	110. Ratio: 1 staff to 4 children	
X	111. Group size: no larger than 8	
X	112. Physical barriers, groups of 8 (indoors and outdoors)	
X	113. Adequate sinks in program space	
X	114. Free standing, well-constructed, safe cribs	
X	115. Washable cots	
X	116. Chairs for feeding, stable, safety straps, locking tray	
X	117. Developmentally appropriate tables, chairs, equipment	
X	118. Refrigerators and food prop facilities	

X	119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
X	120. Diaper area- washed, disinfected			
X	121. Diaper area- disposable paper sheets			
X	122. Covered waste receptacle			
X	123. Diaper changing policy posted, followed			
X	124. Hand washing policy posted, followed			
X	125. Individual storage of personal items			
X	126. Cribs/cots washed and disinfected			
X	127. Under 12 months- placed on back for sleeping			
X	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
X	129. Crib, bed used for infant sleeping			
X	130. Crib, bed free from observable hazards			
X	131. Infant toys separate, washed, disinfected daily			
X	132. No toys, objects less than 1/1/4" diameter			
X	133. Plastic bags, balloons, Styrofoam objects inaccessible			
X	134. Health consultant, doc. of visits			
X	135. Infants held for bottles, indiv. attention, tummy time			
X	136. Written statement, feeding schedule from parent			
X	137. Unused portions of liquids discarded			
X	138. Clean Bottles, disp. bottles, approved bottle washing			
X	139. Food served from dish or whole jar served			
O	140. Bottles individually identified with child's name	Failed to ensure bottles are individually identified with the child's name with 3 bottles not labeled in room 111		

OUTDOOR PLAY SPACE - UNDER THREE

X	141. Play space fenced	
X	142. Outdoor equipment developmentally appropriate	
Yes	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
X	143. Approved endorsement	
X	144. Activity choices appropriate	
X	145. Ratio – 1 staff to 10 children	
X	146. Group size – maximum 20 children	
X	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

X	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
----------	---	------	--




YES or NO?
Yes

WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

Thermometer affixed to the wall in room 111.

NOTE: Items left blank on this form were not monitored during this visit.
Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.
APPLICANTS: You *MAY NOT OPERATE* until all requirements have been met *and* a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY: 08/13/2024	 (Signature of Person in Charge)
Karen Kellerman (Printed Name)	 (Printed Name)		Janet santos (Printed Name)