



**DIVISION OF LICENSING**  
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103  
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552  
 Email: [oe.licensing@ct.gov](mailto:oe.licensing@ct.gov) Website: [www.ctoec.org](http://www.ctoec.org)

## CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

<b>Program Name</b>	<b>YMCA MERIDEN CHILD CARE CENTER</b>				<b>License Number</b>	<b>DCCC.16416</b>	<b>Date of Inspection</b>	<b>08/01/2024</b>		
					<b>Expiration Date</b>	<b>11/30/2025</b>	<b>Time of Inspection</b>	<b>08:19 AM</b>		
<b>Address</b>	<b>66 CROWN ST MERIDEN CT 06450-5714</b>				<b>Telephone</b>	<b>(203) 235-8906</b>	<b>Licensed Capacity</b>	<b>136</b>		
					<b>Hours of Operation</b>	<b>MONDAY-FRIDAY 7:00AM-5:30PM</b>	<b>Infant/Toddler Capacity</b>	<b>16</b>		
<b>Is this a Change of Address?</b>	<b>Yes?</b>		<b>No?</b>	<b>X</b>			<b>Summer Care</b>	<b>Open</b>		
<b>New Address</b>					<b>Minimum Age Served</b>	<b>6 weeks</b>	<b>Maximum Age Served</b>	<b>5 years</b>	<b>Water Supply</b>	<b>Public Water</b>
					<b>Program's Email</b>	<b>ymcakidscampus@aol.com</b>				
<b>Operator</b>	<b>MERIDEN-NEW BRITAIN-BERLIN YMCA, INC.</b>				<b>Name of Inspector</b>	<b>Johanne Dalo</b>				
<b>Director</b>	<b>MARY JO DIPASQUALE</b>				<b>Inspector's Email</b>	<b>johanne.dalo@ct.gov</b>				
<b>Key:</b> Compliant = X Non-Compliant = O	<b># of Infants - Toddlers Present</b>	<b>6</b>	<b># of Total Children Present</b>	<b>44</b>	<b># of Staff Present</b>	<b>15</b>	<b>Type of Inspection</b>	<b>UNANNOUNCED INSPECTION - FULL</b>		

### LICENSURE PROCEDURES 19a-79-2a

<b>X</b>	<b>1. Local Health Inspection</b>	
	Date: 10/31/2023	
<b>X</b>	<b>1a. False or Misleading Statements</b>	

### ADMINISTRATION 19a-79-3a

<b>X</b>	<b>1b. Administration</b>	
<b>X</b>	<b>1bb. Capacity</b>	
<b>X</b>	<b>2. New Staff – Employee Orientation</b>	
<b>X</b>	<b>3. Annual Staff Policy Training</b>	
<b>X</b>	<b>3b. Managing child behavior</b>	
<b>X</b>	<b>4. Documentation of Behavior M. Tech Discussed w/parents</b>	
<b>X</b>	<b>4b. Failure to report</b>	

<b>X</b>	5. Notification of Change	
<b>X</b>	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
<b>X</b>	7. Daily Attendance Records- staff and children	
<b>ITEMS POSTED – ACCESSIBLE</b>		
<b>X</b>	8. License	
<b>X</b>	9. Fire Marshal certificate	
	Date	05/28/2024
<b>X</b>	10. OEC Complaint procedure	
<b>X</b>	11. Food Service Certificate	N/A?
	Date	12/31/2024
<b>X</b>	12. Menus	
<b>X</b>	13. Emergency plans	
<b>X</b>	14. No Smoking Signs	
<b>X</b>	15. Radon Test	N/A?
	Date	Results
	02/11/2007	0.3 pCi/L
<b>X</b>	15a. Developmental Milestones	
<b>X</b>	15b. Access	
<b>X</b>	15bb. 32-36 mths enrolled in prek-permissions	
<b>STAFFING 19a-79-4a</b>		
<b>X</b>	15c. Staffing	
<b>X</b>	16. Staff Health records – TB tests	
<b>X</b>	17. Professional development	
<b>X</b>	18. Disciplinary actions	
<b>X</b>	18b. Background checks	

<b>X</b>	19. Designated Head Teacher					
<b>X</b>	20. Two Staff present					
<b>X</b>	20a. Staff Qualities					
<b>X</b>	21. Ratio: 1 staff to 10 children					
<b>X</b>	21b. Supervision					
<b>X</b>	22. Group Size – maximum 20 children					
<b>X</b>	23. Designated director - Training					
<b>X</b>	24. CPR Certified Staff (Group Home N/A)					
<b>X</b>	25. First Aid Trained Staff					
<b>X</b>	26. Consultants- Agreements and Contracts					
<b>X</b>	27. Logs – Visits documented					
	Not in Compliance?	<b>Education</b>	<b>Health</b>	<b>Social Service</b>	<b>Dental</b>	<b>Dietician N/A?</b>
	Contracts					
	Logs					
	Do they take children swimming?	<b>N SWIMMING</b>				
<b>X</b>	28. Non-swimmers identified					
<b>X</b>	29. Staff/Child Ratios					
<b>X</b>	30. CPR certified staff (20 years of age)					
<b>X</b>	31. Lifeguard certified - supervision					
<b>RECORD KEEPING 19a-79-5a</b>						
<b>X</b>	32. Enrollment information					
<b>X</b>	33. Emergency medical permission					
<b>X</b>	34. Authorized release permission					
<b>X</b>	35. Field trip permission					
<b>X</b>	36. Transportation permission					

X	37. Child health records and immunizations	
X	38. Individual care plan (signed by parents and staff)	
X	39. Injury, Illness, Accident reports	
<b>HEALTH AND SAFETY 19a-79-6a</b>		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
<b>PHYSICAL PLANT 19a-79-7a</b>		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services free of hazards when observed cord to radio accessible to children (T2 next to changing table), electrical cords dangling from projector and small laminate, Wooden refrigerator not secured, and 2 cubbies with squares not secured (Rm4). See discussion .....
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 10/12/2022	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36"	
X	55. Overhead doors – locking devices, spring protectors	
O	56. Exits, Hallways and Stairs unobstructed	Failed to ensure that exit doorways are not blocked by furniture, toys, or play equipment when observed exit door blocked by cots and play house (Rm 4) and 2 Bags, broom, dust pans, and changing table (Rm1).

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
○	69. Walls, ceilings, floors and rugs – clean, good repair	Failed to maintain walls, ceilings, floors and rugs in a good state of repair when observed 4 ceiling tiles missing in Room 4.
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
X	74. Adequate lighting - 50/30 candle feet	
X	75. Light fixtures shielded, shatter proof	
○	76. Potentially hazardous substances locked	Failed to ensure that potentially hazardous substances are stored in a locked area when observed goo gone (Rm2), Windex (Rm T1 and 3) not locked and calcium hypochlorite mixture not locked (hallway- top was also partly open).
X	77. Garbage, rubbish disposed daily	

<b>X</b>	78. Stairs protected, good repair, handrails	
<b>X</b>	79. Pets – maintained, care plan	Y/N N
<b>X</b>	80. Operable CO detector on each level	N/A? Y
<b>X</b>	81. Program space-adequate square footage per child	
<b>X</b>	82. Equipment clean, good repair, safe, non-toxic	
<b>X</b>	83. Cots stored, maintained, adequate number	
<b>X</b>	84. Developmentally appropriate equipment	
<b>X</b>	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
<b>X</b>	86. No weapons, no facsimile of a firearm on premises	
<b>OUTDOOR SPACE</b>		
<b>X</b>	87. Outdoor space - adequate square footage per child	
<b>X</b>	88. Impact absorbing material under equipment	
<b>O</b>	89. Playground free from hazards	Failed to ensure that nuts, bolts and screws are tight, and those that protrude are covered or protected when observed more than 20 screws protruding (2 playgrounds).
<b>X</b>	92. Equipment anchored, safely arranged	
<b>X</b>	93. Outdoor play area protected, fenced	
<b>X</b>	94. Drinking water available, accessible	
<b>EDUCATIONAL REQUIREMENTS 19a-79-8a</b>		
<b>X</b>	95. Written plan for daily program available to parents/staff	
<b>X</b>	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
<b>ADMINISTRATION OF MEDICATIONS 19a-79-9a</b>		
<b>X</b>	97. Written policies, procedures	
<b>X</b>	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS		
<b>X</b>	99. Administration, parent permission, MAR	
<b>O</b>	100. Labeling, storage	Failed to maintain proper labeling of medication for 5 diaper creams when observed no name on the cream.
ORAL/TOPICAL/INHALENT MEDICATIONS		
<b>X</b>	101. Med trained staff, certificates O/T/I    Injectable  Y        Y	
<b>O</b>	102. Authorized prescriber, parent permission, MAR	Failed to maintain written order from prescriber for medication when observed Benadryl without form and failed to maintain current written orders when served 2 expired orders and one order has the same start date and end date.
<b>O</b>	103. Labeling, storage	Failed to maintain proper labeling of medication when observed 1 Benadryl and 1 acetaminophen bottle without name. . Failed to maintain proper storage of medication when observed acetaminophen and ibuprofen not locked (Rm 3 and r 4)
<b>O</b>	104. Unused, expired meds returned/disposed	Failed to ensure that unused portions of medication is returned to the parent when observed 4 expired albuterol.
SELF-ADMINISTRATION		
<b>X</b>	105. Authorized prescriber, parent permission, MAR	
<b>X</b>	106. Labeling, storage	
<b>X</b>	107. Approved petition for special medication authorization	
<b>Yes</b>	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10
<b>X</b>	109. Approved endorsement	
<b>X</b>	110. Ratio: 1 staff to 4 children	
<b>X</b>	111. Group size: no larger than 8	
<b>X</b>	112. Physical barriers, groups of 8 (indoors and outdoors)	
<b>X</b>	113. Adequate sinks in program space	
<b>X</b>	114. Free standing, well-constructed, safe cribs	
<b>X</b>	115. Washable cots	
<b>X</b>	116. Chairs for feeding, stable, safety straps, locking tray	
<b>X</b>	117. Developmentally appropriate tables, chairs, equipment	
<b>X</b>	118. Refrigerators and food prop facilities	

<b>O</b>	119. Diaper area- sturdy, safety rail, nonporous, exclusive use	Failed to ensure the exclusive use of the diaper area when observed a laptop and yellow paper pad on top of diaper changing table (T2).		
<b>X</b>	120. Diaper area- washed, disinfected			
<b>X</b>	121. Diaper area- disposable paper sheets			
<b>X</b>	122. Covered waste receptacle			
<b>X</b>	123. Diaper changing policy posted, followed			
<b>X</b>	124. Hand washing policy posted, followed			
<b>X</b>	125. Individual storage of personal items			
<b>X</b>	126. Cribs/cots washed and disinfected			
<b>X</b>	127. Under 12 months- placed on back for sleeping			
<b>X</b>	128. Alternate sleep position- equipment, medical documentation	Yes	No	
			X	
<b>X</b>	129. Crib, bed used for infant sleeping			
<b>X</b>	130. Crib, bed free from observable hazards			
<b>X</b>	131. Infant toys separate, washed, disinfected daily			
<b>X</b>	132. No toys, objects less than 1/1/4" diameter			
<b>X</b>	133. Plastic bags, balloons, Styrofoam objects inaccessible			
<b>X</b>	134. Health consultant, doc. of visits			
<b>X</b>	135. Infants held for bottles, indiv. attention, tummy time			
<b>X</b>	136. Written statement, feeding schedule from parent			
<b>X</b>	137. Unused portions of liquids discarded			
<b>X</b>	138. Clean Bottles, disp. bottles, approved bottle washing			
<b>X</b>	139. Food served from dish or whole jar served			
<b>X</b>	140. Bottles individually identified with child's name			

**OUTDOOR PLAY SPACE - UNDER THREE**

<b>X</b>	141. Play space fenced	
<b>X</b>	142. Outdoor equipment developmentally appropriate	
<b>No</b>	Is there an approved endorsement?	<b>SCHOOL AGE ENDORSEMENT 19a-79-11</b>
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
<b>No</b>	Is there an approved endorsement?	<b>NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)</b>
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
<b>N</b>	Child with diabetes enrolled?	<b>MONITORING OF DIABETES 19a-79-13</b>
<b>X</b>	154. Written policies and procedures	
<b>X</b>	155. On site staff trained in first aid, glucose testing	
<b>X</b>	156. Training current and documented	
<b>X</b>	157. Supervision of self-administration	
<b>X</b>	158. Equipment, supplies labeled and inaccessible	

<b>X</b>	159. Signed agreement with parents regarding equipment	
<b>X</b>	160. Materials discarded appropriately	
<b>X</b>	161. Authorized prescriber, parent permission	
<b>X</b>	162. Documentation of test results, actions taken	
<b>X</b>	163. Daily written parent notification	

**ADDITIONAL VIOLATIONS**

<b>X</b>	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
----------	---	------	--




**YES or NO?**  
Yes

**WERE VIOLATIONS CITED DURING THIS VISIT?**

**DISCUSSIONS/COMMENTS**

Continue #45  
 Children cots stored in front of toilet and potty chair stool on top of cot (Rm5). Cord from a tablet was accessible to children, bottom of wall in children bathroom show porous surface, and brown children chair show porous surface (Rm 3). Baseboard show porous surface (Rm2). Wooden refrigerator not secured (Rm 1).  
 - Mat under obstacle course climber.  
 - 4 outlets not covered (strip in Rm 4).  
 - 1 staff without documentation of annual review of policies and procedure.  
 \*\*\*\* A revised complaint procedure was given to program for posting.\*\*\*\*

**NOTE:** Items left blank on this form were not monitored during this visit.  
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.  
**APPLICANTS:** You *MAY NOT OPERATE* until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:  <b>08/15/2024</b>	 (Signature of Person in Charge)
<b>Johanne Dalo</b> (Printed Name)	 (Printed Name)		<b>Mary-Jo DiPasquale</b> (Printed Name)