

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 07/31/2024
Report Date: 08/14/2024
NELabs Report ID: 2494236-06

Product ID: 240604G-SNP-003

Biotrack ID: 1286 7891 8812 9504

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	<LOQ
CBDA	----
CBGA	----
CBG	0.006
CBD	<LOQ
THCV	<LOQ
CBN	0.002
Δ^9 THC	0.139
Δ^8 THC	----
CBL	----
THCA	----
CBC	----
Total Cannabinoids: 0.147 %	
Total THC (0.877*THCA)+THC: 0.139 %	

Terpenes by GC-MS	Results (% w/w)
α -Pinene	----
β -Myrcene	----
β -Pinene	----
Limonene	----
α -Terpinolene	----
Linalool	----
β -Caryophyllene	----
α -Humulene	----
Caryophyllene Oxide	----
α -Bisabolol	----
Total Terpenes: BELOW DETECTION	

Moisture	Results
Water Activity (Aw)	0.69

Dosing Information	mg per edible
Δ^9 THC	4.4

Dosing Information	g per edible
Average Weight	3.1769



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 07/31/2024
Report Date: 08/14/2024
NELabs Report ID: 2494236-06

Product ID: 240604G-SNP-003



Biotrack ID: 1286 7891 8812 9504

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 07/31/2024.

Date:	Reviewed by: 	Released by: 
08/14/2024	Caelyn Audrain, QA/QC	Zachary Cannon, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

*Not all results and/or analytes reported are obtained from ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation*



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

