

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 08/07/2024
Report Date: 08/15/2024
NELabs Report ID: 2494316-10

Product ID: 2406144F6-CA

Biotrack ID: 9010 9184 0981 2171

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	450	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			


Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	<LOQ
CBGA	4.41
CBG	0.20
CBD	----
THCV	----
CBN	----
Δ^9 THC	0.31
Δ^8 THC	----
CBL	----
THCA	25.97
CBC	----
Total Cannabinoids 30.89 %	
Total THC (0.877*THCA)+THC: 23.09 %	

^a: percentages calculated on dry weight basis

Terpenes by GC-MS	Results (% w/w)
α -Pinene	0.04
β -Myrcene	0.16
β -Pinene	0.06
Limonene	0.57
α -Terpinolene	0.01
Linalool	0.06
β -Caryophyllene	0.24
α -Humulene	0.08
Caryophyllene Oxide	----
α -Bisabolol	0.02
Total Terpenes: 1.24 %	

^a: percentages calculated on dry weight basis

Moisture	Results
Water Content (% w/w)	11.5
Water Activity (Aw)	0.62



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 08/07/2024
Report Date: 08/15/2024
NELabs Report ID: 2494316-10

Product ID: 2406144F6-CA

Biotrack ID: 9010 9184 0981 2171

Pesticides by LC-MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 08/07/2024.

Date:	Reviewed by:	Released by:
08/15/2024	Jaina Haberern, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

*Not all results and/or analytes reported are obtained from ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.*



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

