



DIVISION OF LICENSING
 450 Columbus Boulevard, Suite 302, Hartford, Connecticut 06103
 Phone (800)282-6063 or (860)500-4450 Fax (860)326-0552
 Email: oeclicensing@ct.gov Website: www.ctoec.org

CHILD CARE CENTER/GROUP CHILD CARE HOME INSPECTION

Program Name	LONG HILL UNITED METHODIST CHILDREN'S CENTER				License Number	DCCC		Date of Inspection	08/28/2024
					Expiration Date			Time of Inspection	01:00 PM
Address	6358 MAIN ST TRUMBULL CT 06611-2035				Telephone	(203) 268-8434		Licensed Capacity	92
					Hours of Operation			Infant/Toddler Capacity	0
Is this a Change of Address?	Yes?		No?	X				Summer Care	
New Address					Minimum Age Served		Maximum Age Served	Water Supply	Public Water
					Program's Email	maria@lhumcc.com			
Operator	MARIA STEIN				Name of Inspector	Terri Ruducha-Roberts			
Director	MARIA STEIN				Inspector's Email	terri.ruducha-roberts@ct.gov			
Key: Compliant = X Non-Compliant = O	# of Infants - Toddlers Present	0	# of Total Children Present	0	# of Staff Present	1	Type of Inspection	INITIAL CREDENTIAL INSPECTION	

LICENSURE PROCEDURES 19a-79-2a

X	1. Local Health Inspection	
	Date: 06/27/2024	
X	1a. False or Misleading Statements	

ADMINISTRATION 19a-79-3a

X	1b. Administration	
X	1bb. Capacity	
X	2. New Staff – Employee Orientation	
X	3. Annual Staff Policy Training	
X	3b. Managing child behavior	
X	4. Documentation of Behavior M. Tech Discussed w/parents	
X	4b. Failure to report	

X	5. Notification of Change	
X	6. Program policies	Including discipline, supervision, child protection, general operating, personnel, closing time
X	7. Daily Attendance Records- staff and children	
ITEMS POSTED – ACCESSIBLE		
X	8. License	
X	9. Fire Marshal certificate	
	Date	06/20/2024
X	10. OEC Complaint procedure	
	11. Food Service Certificate	<u>N/A?</u>
	Date	X
X	12. Menus	
X	13. Emergency plans	
X	14. No Smoking Signs	
O	15. Radon Test	<u>N/A?</u>
	Date	Results
		New radon test to be completed in November and results sen to OEC
X	15a. Developmental Milestones	
X	15b. Access	
X	15bb. 32-36 mths enrolled in prek-permissions	
STAFFING 19a-79-4a		
X	15c. Staffing	
X	16. Staff Health records – TB tests	
X	17. Professional development	
X	18. Disciplinary actions	
O	18b. Background checks	Failed to maintain evidence of compliance with background checks for pending program

X	19. Designated Head Teacher					
X	20. Two Staff present					
X	20a. Staff Qualities					
X	21. Ratio: 1 staff to 10 children					
X	21b. Supervision					
X	22. Group Size – maximum 20 children					
X	23. Designated director - Training					
X	24. CPR Certified Staff (Group Home N/A)					
X	25. First Aid Trained Staff					
X	26. Consultants- Agreements and Contracts					
X	27. Logs – Visits documented					
	Not in Compliance?	Education	Health	Social Service	Dental	Dietician N/A? X
	Contracts					
	Logs					
	Do they take children swimming?	N SWIMMING				
X	28. Non-swimmers identified					
X	29. Staff/Child Ratios					
X	30. CPR certified staff (20 years of age)					
X	31. Lifeguard certified - supervision					
RECORD KEEPING 19a-79-5a						
X	32. Enrollment information					
X	33. Emergency medical permission					
X	34. Authorized release permission					
X	35. Field trip permission					
X	36. Transportation permission					

X	37. Child health records and immunizations	
X	38. Individual care plan (signed by parents and staff)	
X	39. Injury, Illness, Accident reports	
HEALTH AND SAFETY 19a-79-6a		
X	40. Nutritious snacks and meals (required food groups)	
X	41. Proper refrigeration (max 45°)	
X	42. Kitchen separated	N/A?
X	43. Hand washing – before eating or food handling	
X	44. First Aid Kit(s) – Indoor, Outdoor, Field Trips, Inventory	
PHYSICAL PLANT 19a-79-7a		
O	45. License premises – clean, good repair, hazard free	Failed to maintain the building, equipment and services when paint observed peeing on wall between preschool building and Bradley Hall
X	47b. Plans for new construction, expansion, renovation or conversion	
X	48. Sanitary drinking fountains – disposable cups	
X	49. Lead Water Test (N/A?) 06/21/2024	Bacterial/Chemical Test (N/A?) X
X	50. Walkways maintained	
X	51. Designated staff toilet/sink	
X	52. All openings for ventilation screened	
X	53. Windows protected to prevent falls	
X	54. Glass protected up to 36”	
X	55. Overhead doors – locking devices, spring protectors	
X	56. Exits, Hallways and Stairs unobstructed	

X	57. Individual storage of clothing and bedding	
X	58. Smoking prohibited	
X	59. Matches and lighters inaccessible	
X	60. Electrical safety – outlets/cords	
X	61. Toileting needs met	
X	62. Required toilets, sinks, supplies	
X	63. Potty chairs – nonporous, emptied, disinfected	
X	64. Hand washing after toileting – staff and children	
X	65. Ventilation in toilet rooms	
X	66. Air temperature 65 degrees, thermometer affixed	
X	67. Water temperature 60° – 115°	
X	68. Portable space heaters	
X	69. Walls, ceilings, floors and rugs – clean, good repair	
X	70. Rugs secure	
X	71. Hot water, steam pipes protected	
X	72. Working phone on each level	
X	73. Emergency numbers posted	
O	74. Adequate lighting - 50/30 candle feet	Failed to maintain at least 50 candle feet of light in rooms used for reading, painting and other close work in rooms 1,2,4 and room called conference room
X	75. Light fixtures shielded, shatter proof	
X	76. Potentially hazardous substances locked	
X	77. Garbage, rubbish disposed daily	

X	78. Stairs protected, good repair, handrails	
X	79. Pets – maintained, care plan	Y/N N
X	80. Operable CO detector on each level	N/A? Y
X	81. Program space-adequate square footage per child	
X	82. Equipment clean, good repair, safe, non-toxic	
X	83. Cots stored, maintained, adequate number	
X	84. Developmentally appropriate equipment	
X	85. Hot tubs, spas, saunas – locked and inaccessible	Y/N N
X	86. No weapons, no facsimile of a firearm on premises	
OUTDOOR SPACE		
X	87. Outdoor space - adequate square footage per child	
○	88. Impact absorbing material under equipment	Failed to ensure a minimum of 8 inches of impact absorbing materials at airplane see saw
○	89. Playground free from hazards	Failed to ensure the playground is free of glass, debris, holes and other hazards when rust is accessible on trike merry go round
X	92. Equipment anchored, safely arranged	
X	93. Outdoor play area protected, fenced	
X	94. Drinking water available, accessible	
EDUCATIONAL REQUIREMENTS 19a-79-8a		
X	95. Written plan for daily program available to parents/staff	
X	96. Schedule – Activity choices and Program	Activity choices: developmentally appropriate, flexible, meets individual needs Program includes: indoor/outdoor, gross/fine motor skills, snacks/meals, rest/sleep/quiet time, toileting and clean up
ADMINISTRATION OF MEDICATIONS 19a-79-9a		
X	97. Written policies, procedures	
X	98. Training outline on file	

NONPRESCRIPTION TOPICAL MEDICATIONS						
X	99. Administration, parent permission, MAR					
X	100. Labeling, storage					
ORAL/TOPICAL/INHALENT MEDICATIONS						
X	101. Med trained staff, certificates					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">O/T/I</td> <td style="padding: 2px;">Injectable</td> </tr> <tr> <td style="text-align: center; padding: 2px;">Y</td> <td style="text-align: center; padding: 2px;">Y</td> </tr> </table>	O/T/I	Injectable	Y	Y	
O/T/I	Injectable					
Y	Y					
X	102. Authorized prescriber, parent permission, MAR					
X	103. Labeling, storage					
X	104. Unused, expired meds returned/disposed					
SELF-ADMINISTRATION						
X	105. Authorized prescriber, parent permission, MAR					
X	106. Labeling, storage					
X	107. Approved petition for special medication authorization					
No	Is there an approved endorsement?	INFANT/TODDLER ENDORSEMENT 19a-79-10				
	109. Approved endorsement					
	110. Ratio: 1 staff to 4 children					
	111. Group size: no larger than 8					
	112. Physical barriers, groups of 8 (indoors and outdoors)					
	113. Adequate sinks in program space					
	114. Free standing, well-constructed, safe cribs					
	115. Washable cots					
	116. Chairs for feeding, stable, safety straps, locking tray					
	117. Developmentally appropriate tables, chairs, equipment					
	118. Refrigerators and food prop facilities					

119. Diaper area- sturdy, safety rail, nonporous, exclusive use			
120. Diaper area- washed, disinfected			
121. Diaper area- disposable paper sheets			
122. Covered waste receptacle			
123. Diaper changing policy posted, followed			
124. Hand washing policy posted, followed			
125. Individual storage of personal items			
126. Cribs/cots washed and disinfected			
127. Under 12 months- placed on back for sleeping			
128. Alternate sleep position- equipment, medical documentation	Yes	No	
129. Crib, bed used for infant sleeping			
130. Crib, bed free from observable hazards			
131. Infant toys separate, washed, disinfected daily			
132. No toys, objects less than 1/1/4” diameter			
133. Plastic bags, balloons, Styrofoam objects inaccessible			
134. Health consultant, doc. of visits			
135. Infants held for bottles, indiv. attention, tummy time			
136. Written statement, feeding schedule from parent			
137. Unused portions of liquids discarded			
138. Clean Bottles, disp. bottles, approved bottle washing			
139. Food served from dish or whole jar served			
140. Bottles individually identified with child’s name			

OUTDOOR PLAY SPACE - UNDER THREE

	141. Play space fenced	
	142. Outdoor equipment developmentally appropriate	
No	Is there an approved endorsement?	SCHOOL AGE ENDORSEMENT 19a-79-11
	143. Approved endorsement	
	144. Activity choices appropriate	
	145. Ratio – 1 staff to 10 children	
	146. Group size – maximum 20 children	
	147. Education Consultant appropriate	
No	Is there an approved endorsement?	NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am)
	148. Approved endorsement	
	149. Written program plan, supervision	
	150. Staff awake and available	
	151. Cot, crib, bedding, toiletries, sleep apparel	
	152. Individual storage of personal items	
	153. Bedding, sleeping apparel laundered weekly	
N	Child with diabetes enrolled?	MONITORING OF DIABETES 19a-79-13
X	154. Written policies and procedures	
X	155. On site staff trained in first aid, glucose testing	
X	156. Training current and documented	
X	157. Supervision of self-administration	
X	158. Equipment, supplies labeled and inaccessible	

X	159. Signed agreement with parents regarding equipment	
X	160. Materials discarded appropriately	
X	161. Authorized prescriber, parent permission	
X	162. Documentation of test results, actions taken	
X	163. Daily written parent notification	

ADDITIONAL VIOLATIONS

	62. Consent Order - Negotiated Corrective Action Plan	N/A?	
		X	

YES or NO?
Yes



WERE VIOLATIONS CITED DURING THIS VISIT?

DISCUSSIONS/COMMENTS

New complaint procedure will be emailed to program
 Measurements will be send to program via email
 Stage in Bradley Hall is not approved not being used
 Stained ceiling tiles in room 5
 1 sink in girls bathroom in operable at end of bathroom
 All items on this report were discussed and/or inspected

NOTE: Items left blank on this form were not monitored during this visit.
 Only the regulations marked as compliant, non-compliant or not applicable were monitored or discussed.

APPLICANTS: You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of Person in Charge)	DATE CORRECTIONS DUE BY:
Terri Ruducha-Roberts (Printed Name)	Maria Stein (Printed Name)	