



FAMILY CHILD CARE HOME SUPPLEMENTAL INSPECTION

Provider	DEBORAH A LUFT			License Number	DCFH.55297	Date of Inspection	09/23/2024
				Expiration Date	12/31/2025	Time of Inspection	02:07 PM
Address	79 MEADOW BROOK DR MERIDEN CT 06450-2576			Telephone	(203) 238-9394	Regular Capacity	6
				Days and Hours	Monday-Friday 7AM-4:30PM	School Age Capacity	3
# Children Present	4	# Under 18 months present	1			Summer Care	Open
Purpose of Inspection	Follow-Up for Safe Sleep Violation Cited during Full Inspection			Name of Inspector	Melina Perez		
Provider's Email	deb42859@yahoo.com			Inspector's Email	melina.perez@ct.gov		

CONSENT TO INSPECT: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Debbie Luft

Signature of Provider/Applicant/Substitute/Emergency Caregiver

Regulatory Violations

Statute and/or Regulation: [-]	Description: 000 No Violations
No violations were cited during this inspection	
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:

Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Other Findings-Regulations In Compliance	
Statute and/or Regulation: [19a-87b-10(a)]	Description: 004-Capacity
Statute and/or Regulation: [19a-87b-5(e)]	Description: 006-Infant/Toddler Restriction

Statute and/or Regulation: [19a-87b-9(h)]	Description: 046-Water Temperature
---	------------------------------------

Statute and/or Regulation: [19a-87b-10(f)(1) and/or 19a-87b-10(f)(4)]	Description: 073-Infants Placed in Safe Crib/Snug Mattress/Tight Sheet
---	--

Statute and/or Regulation:	Description:
----------------------------	--------------

Statute and/or Regulation:	Description:
----------------------------	--------------



YES/NO: No	WERE VIOLATIONS CITED DURING THIS VISIT?
------------	--

DISCUSSIONS/COMMENTS

****During today's follow-up visit the following was observed:**
46 - Water temperature was observed to be 67.8 degrees.
73 - It was observed that there was no blanket or other observable hazard tucked inside of the tight fitted sheet that was on the mattress of the pack n play that is being used to nap an infant.
****Provider was observed to be in compliance during today's visit**

IMPORTANT NOTES

- It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
- Items left blank on this form were not monitored during this visit. Only the regulations marked as compliant or non-compliant were monitored or discussed.
- **APPLICANTS** –You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Melina Perez (Printed Name)	 (Printed Name)		DEBORAH A LUFT (Printed Name)