

Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 09/18/2024
Report Date: 09/26/2024
NELabs Report ID: 2494753-03

Product ID: 240819G-SNT-001

Biotrack ID: Select Nano Bites Tangerine (S) (5879 2480 2799 7462)

Microbiology	Results (cfu)	Limits (cfu)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)	Dosing (mg per unit)
CBDV	<LOQ	
CBDA	----	
CBGA	----	
CBG	0.006	<1
CBD	<LOQ	
THCV	----	
CBN	----	
Δ^9 THC	0.154	98.0
Δ^8 THC	----	
CBL	----	
THCA	----	
CBC	----	
Total Cannabinoids: 0.160 %		98.0
Total THC (0.877*THCA)+THC: 0.154%		

Terpenes by GC-MS	Results (% w/w)
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes: Below Detection	

Moisture	Results
Water Activity (Aw)	0.67

Dosing Information	mg per unit
Average Weight	3.1794



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004



Curaleaf
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 09/18/2024
Report Date: 09/26/2024
NELabs Report ID: 2494753-03

Product ID: 240819G-SNT-001

Biotrack ID: Select Nano Bites Tangerine (S) (5879 2480 2799 7462)

Pesticides by LC & GC - MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	<20 each
Ochratoxin-A	Below Action Limits	<20
Pass/Fail: PASS		


Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 09/18/2024

Date:	Reviewed by: <i>Jaina Haberern</i>	Released by: <i>Zachary Cannone</i>
09/26/2024	Jaina Haberern, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

