



FAMILY CHILD CARE HOME SUPPLEMENTAL INSPECTION

Provider	ALMA I GARCIA			License Number	DCFH.57518	Date of Inspection	10/07/2024
				Expiration Date	7/31/2025	Time of Inspection	12:58 PM
Address	75 7TH ST NEWINGTON CT 06111-3311			Telephone	(860) 995-7998	Regular Capacity	6
				Days and Hours	Monday-Friday 7:00AM-8:00PM	School Age Capacity	0
# Children Present	2	# Under 18 months present	1			Summer Care	Open
Purpose of Inspection	Follow-Up For Violations Cited During Full Inspection			Name of Inspector	Melina Perez		
Provider's Email	almagarcia844@gmail.com			Inspector's Email	melina.perez@ct.gov		

CONSENT TO INSPECT: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Signature of Provider/Applicant/Substitute/Emergency Caregiver

Regulatory Violations

Statute and/or Regulation: [-]	Description: 000 No Violations
No violations were cited during this inspection	
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:

Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Other Findings-Regulations In Compliance	
Statute and/or Regulation: [19a-87b-10(a)]	Description: 004-Capacity
Statute and/or Regulation: [19a-87b-5(e)]	Description: 006-Infant/Toddler Restriction

Statute and/or Regulation: [19a-87b-9(f)(1)]	Description: 039-Safe Space-Sufficient
--	--

Statute and/or Regulation: [19a-87b-9(h)]	Description: 046-Water Temperature
---	------------------------------------

Statute and/or Regulation:	Description:
----------------------------	--------------

Statute and/or Regulation:	Description:
----------------------------	--------------



YES/NO: No	WERE VIOLATIONS CITED DURING THIS VISIT?
------------	--

DISCUSSIONS/COMMENTS

During today's follow-up visit; the following was observed:
 # 39 - The 4 empty glass beer bottles that were on the table in the backyard play area were observed to have been removed. The rake and wheelbarrow were observed to have been placed behind the fence in the backyard play area and are now secure. The garden hose was observed to no longer be loose and was observed to be rolled up. The screw drivers were also observed to have been removed from the outdoor play area.
 # 46 - Water temperature was taken again today and was observed to be 119.8 degrees. Specialist reminded provider it can be no higher than 120 degrees and to continue to monitor the temperature to ensure it does not go past 120 degrees Fahrenheit.
 Provider was observed to be in compliance with these items during today's follow-up visit
 Provider is working on completing/correcting the additional items

IMPORTANT NOTES

- *It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.*
- *Items left blank on this form were not monitored during this visit. Only the regulations marked as compliant or non-compliant were monitored or discussed.*
- *APPLICANTS –You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.*

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Person in Charge)
Melina Perez (Printed Name)	 (Printed Name)		ALMA I GARCIA (Printed Name)