

Connecticut Contract Manufacturing, LLC

1244 Old Clinton Road

Westbrook, CT 06498

Date Received: 10/08/2024

Report Date: 10/16/2024

NELabs Report ID: 2494995-03

Product ID: Straw-Marg

Biotrack ID: Wanna Quick 1:1 Strawberry Margarita-20ct

(5338 6707 4102 6597)

Microbiology	Results (cfu)	Limits (cfu)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	<LOQ
CBDA	----
CBGA	----
CBG	----
CBD	0.098
THCV	<LOQ
CBN	----
Δ^9 THC	0.097
Δ^8 THC	----
CBL	<LOQ
THCA	----
CBC	----
Total Cannabinoids: 0.195%	
Total THC (0.877*THCA)+THC 0.097%	

Terpenes by GC-MS	Results (% w/w)
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes: Below Detection	

Moisture	Results
Water Activity (Aw)	0.67

Edible Dosing	
Average Weight	4.4974
mg THC per package	88
mg CBD per package	88



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Connecticut Contract Manufacturing, LLC

1244 Old Clinton Road

Westbrook, CT 06498

Date Received: 10/08/2024

Report Date: 10/16/2024

NELabs Report ID: 2494995-03

Product ID: Straw-Marg

Biotrack ID: Wanna Quick 1:1 Strawberry Margarita-20ct

(5338 6707 4102 6597)


Pesticides by LC & GC - MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	<20 each
Ochratoxin-A	Below Action Limits	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Levels
Pass/Fail: PASS		


Residual Solvents by GC-MS	Results	Limits
Solvent panel	Below Action Limits	1000 ppm individual (5000 ppm total)
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/08/2024

Date:	Reviewed by: 	Released by: 
10/16/2024	Caelyn Audrain, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

