

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 10/10/2024
Report Date: 10/17/2024
NELabs Report ID: 2495053-07

Product ID: VP0050

Biotrack ID: Agent Orange Vape (8881 9223 9725 8702)

Microbiology	Results (cfu)	Limits (cfu)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)	Dosing (mg per unit)
CBDV	----	----
CBDA	----	----
CBGA	----	----
CBG	3.13	31.30
CBD	3.91	39.10
THCV	1.59	15.90
CBN	1.15	11.50
Δ^9 THC	79.02	790.20
Δ^8 THC	----	----
CBL	----	----
THCA	----	----
CBC	1.40	14.00
Total Cannabinoids: 90.20%		902.00
Total THC (0.877*THCA)+THC: 79.02%		

Terpenes by GC-MS	Results (% w/w)
α -Pinene	0.16
β -Myrcene	0.45
β -Pinene	0.17
Limonene	0.33
α -Terpinolene	3.13
Linalool	----
β -Caryophyllene	0.27
α -Humulene	0.06
Caryophyllene Oxide	----
α -Bisabolol	----
Total Terpenes: 4.57%	



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 10/10/2024
Report Date: 10/17/2024
NELabs Report ID: 2495053-07

Product ID: VP0050

Biotrack ID: Agent Orange Vape (8881 9223 9725 8702)

Pesticides by LC & GC - MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		


Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	<20 each
Ochratoxin-A	Below Action Limits	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Residual Solvents by GC-MS	Results	Limits
Solvent panel	Below Action Limits	1000 ppm individual (5000 ppm total)
Pass/Fail: PASS		

Ingredient Testing by FTIR	Results	Limits
Restricted Ingredient Panel	Not Detected	Absent
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/10/2024

Date:	Reviewed by: 	Released by: 
10/17/2024	Caelyn Audrain, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

