

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 10/10/2024
Report Date: 10/17/2024
NELabs Report ID: 2495053-05

Product ID: 4HSB55-PR

Biotrack ID: 1956 3442 8861 4399

Microbiology	Results (cfu)	Limits (cfu)	Methods
Total Aerobic Microbial Count	100	100,000	AOAC 990.12
Total Yeast & Mold Count	950	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	<LOQ
CBGA	0.61
CBG	0.21
CBD	----
THCV	----
CBN	----
Δ^9 THC	0.32
Δ^8 THC	----
CBL	----
THCA	23.50
CBC	----
Total Cannabinoids: 24.64%	
Total THC (0.877*THCA)+THC: 20.93%	

^a: percentages reported by dry weight

Terpenes by GC-MS	Results (% w/w)
α -Pinene	0.02
β -Myrcene	0.08
β -Pinene	0.03
Limonene	0.29
α -Terpinolene	----
Linalool	0.20
β -Caryophyllene	0.23
α -Humulene	0.06
Caryophyllene Oxide	----
α -Bisabolol	0.03
Total Terpenes: 0.94%	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	9.4
Water Activity (Aw)	0.45



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 10/10/2024
Report Date: 10/17/2024
NELabs Report ID: 2495053-05

Product ID: 4HSB55-PR
Biotrack ID: 1956 3442 8861 4399

Pesticides by LC & GC - MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	<20 each
Ochratoxin-A	Below Action Limits	<20
Pass/Fail: PASS		


Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/10/2024

Date:	Reviewed by:	Released by:
10/17/2024	Caelyn Audrian, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

