

Advanced Grow Labs

400 Frontage Rd.

West Haven, CT 06516

Date Received: 10/03/2024

Report Date: 10/10/2024

NELabs Report ID: 2494925-01

Product ID: XN-240920-O-5094

Biotrack ID: "INTERMEDIATE Rhythm 0.5g Vape Xeno (1)" (4643 8132 6300 0204)

Microbiology	Results (cfu)	Limits (cfu)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)	Dosing (mg per unit)
CBDV	----	----
CBDA	----	----
CBGA	<LOQ	<1.0
CBG	2.45	12.25
CBD	<LOQ	<1.0
THCV	<LOQ	<1.0
CBN	1.20	6.00
Δ^9 THC	81.33	406.65
Δ^8 THC	----	----
CBL	----	----
THCA	----	----
CBC	0.87	4.35
Total Cannabinoids: 85.85%		429.25
Total THC (0.877*THCA)+THC: 81.33%		

Terpenes by GC-MS	Results (% w/w)
α -Pinene	0.04
β -Myrcene	0.42
β -Pinene	0.10
Limonene	0.98
α -Terpinolene	0.02
Linalool	0.98
β -Caryophyllene	0.92
α -Humulene	0.33
Caryophyllene Oxide	----
α -Bisabolol	----
Total Terpenes: 3.79%	



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Advanced Grow Labs

400 Frontage Rd.

West Haven, CT 06516

Date Received: 10/03/2024

Report Date: 10/10/2024

NELabs Report ID: 2494925-01

Product ID: XN-240920-O-5094

Biotrack ID: "INTERMEDIATE Rhythm 0.5g Vape Xeno (1)" (4643 8132 6300 0204)

Pesticides by LC & GC - MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		


Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	<20 each
Ochratoxin-A	Below Action Limits	<20
Pass/Fail: PASS		

Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Residual Solvents by GC-MS	Results	Limits
Solvent panel	Below Action Limits	1000 ppm individual (5000 ppm total)
Pass/Fail: PASS		


Ingredient Testing by FTIR	Results	Limits
Restricted Ingredient Panel	Not Detected	Absent
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/03/2024

Date:	Reviewed by: 	Released by: 
10/10/2024	Caelyn Audrain, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

