

Earl Baker
84 Colonial Rd.
Manchester CT 06042

Date Received: 10/04/2024
Report Date: 10/10/2024
NELabs Report ID: 2494938-02

Product ID: Drip Station

Biotrack ID: Flower Lot (1205 9013 4201 2050)

Microbiology	Results (cfu)	Limits (cfu)	Methods
Total Aerobic Microbial Count	<100	100,000	AOAC 990.12
Total Yeast & Mold Count	4,300	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: PASS			

Cannabinoids by HPLC	Results (% w/w)
CBDV	----
CBDA	<LOQ
CBGA	2.22
CBG	0.38
CBD	----
THCV	----
CBN	----
Δ^9 THC	1.77
Δ^8 THC	----
CBL	----
THCA	30.40
CBC	0.21
Total Cannabinoids: 34.98%	
Total THC (0.877*THCA)+THC: 28.43%	

^a: percentages reported by dry weight

Terpenes by GC-MS	Results (% w/w)
α -Pinene	0.15
β -Myrcene	0.07
β -Pinene	0.13
Limonene	0.98
α -Terpinolene	0.01
Linalool	0.21
β -Caryophyllene	0.21
α -Humulene	0.05
Caryophyllene Oxide	----
α -Bisabolol	----
Total Terpenes: 1.81%	

^a: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	12.0
Water Activity (Aw)	0.57



Earl Baker
84 Colonial Rd.
Manchester CT 06042

Date Received: 10/04/2024
Report Date: 10/10/2024
NELabs Report ID: 2494938-02

Product ID: Drip Station


Biotrack ID: Flower Lot (1205 9013 4201 2050)

Pesticides by LC & GC - MS/MS	Results	Limits
Per Sample $\geq 0.5g$	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

Mycotoxins by LC-MS/MS	Results ($\mu g/kg$)	Limits ($\mu g/kg$)
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	<20 each
Ochratoxin-A	Below Action Limits	<20
Pass/Fail: PASS		


Heavy Metals by ICP-MS	Results	Limits
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Levels
Pass/Fail: PASS		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/04/2024

Date:	Reviewed by: 	Released by: 
10/10/2024	Caelyn Audrain, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods. Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • P: 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

