

Curaleaf
34 Hopmeadow St
Weatogue, CT 06089

Date received: 10/11/2024
Report Date: 10/22/2024
NELabs Report ID: 2495058-05

240911G-JFA-RBB-001

Biotrack ID: (JAMS Fast Acting Ratio Jellies Blackberry (I)) (1423 8084 9408 2673)

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic E. coli	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing E. coli	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*	Dosing (mg/unit)
CBDV		
CBDA		
CBGA	<LOQ	<1.0
CBG	0.003	2.92
CBD	0.094	91.44
THCV	<LOQ	<1.0
CBN	0.093	90.46
Δ^9 THC	0.092	89.49
Δ^8 THC		
CBL		
THCA		
CBC	<LOQ	<1.0
Total Cannabinoids	0.282	274.31
Total THC ($0.877 \times \text{THCA}$) + THC	0.092	

By GC - MS

Terpenes	Results (% w/w)*
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes	Below Detection

*% by dry weight

Moisture

Results

Water Activity (Aw)	0.56
---------------------	------



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Curaleaf
34 Hopmeadow St
Weatogue, CT 06089

Date received: 10/11/2024
Report Date: 10/22/2024
NELabs Report ID: 2495058-05

240911G-JFA-RBB-001

Biotrack ID: (JAMS Fast Acting Ratio Jellies Blackberry (I)) (1423 8084 9408 2673)

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/11/2024

DATE 10/22/2024	Reviewed by  Caelyn Audrain, QA/QC	Released by  Zachary Cannone, Laboratory Director
---------------------------	--	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.





30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787
PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258
State of CT: ACTL.0000004

