

Advanced Grow Labs
400 Frontage Rd.
West Haven, CT 06516

Date received: 10/21/2024
Report Date: 10/29/2024
NELabs Report ID: 2495153-01

SOB-240827-O-3361 Tab 20

Biotrack ID: INTERMEDIATE AGL Sativarian Tablets

0983 5072 7307 9582

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu)	<100 cfu/g	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu)	<100 cfu/g	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/unit)
CBDV	<LOQ	<1
CBDA		
CBGA	0.07	<1
CBG	0.09	<1
CBD	<LOQ	<1
THCV	<LOQ	<1
CBN	0.06	<1
Δ^9 THC	3.20	17.2
Δ^8 THC		
CBL	0.04	<1
THCA		
CBC	0.06	<1
Total Cannabinoids	3.52	17.2
Total THC % (0.877*THCA)+THC	3.20	

Terpenes	Results (% w/w)
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes	Below Detection

Moisture

Results

Water Content (% w/w)	n/a
Water Activity (Aw)	n/a

Edible Dosing

Results

Average weight	0.5377
----------------	--------



Advanced Grow Labs
400 Frontage Rd.
West Haven, CT 06516

Date received: 10/21/2024
Report Date: 10/29/2024
NELabs Report ID: 2495153-01

SOB-240827-O-3361 Tab 20

Biotrack ID: INTERMEDIATE AGL Sativarian Tablets

0983 5072 7307 9582

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		


Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/21/2024

DATE 10/29/2024	Reviewed by  Garrett Johnson, QA/QC	Released by  Zachary Cannone, Laboratory Director
---------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

