

Connecticut Contract Manufacturing, LLC
1244 Old Clinton Rd.
Westbrook, CT 06498

Date received: 10/22/2024
Report Date: 10/30/2024
NELabs Report ID: 2495170-03

HD Berry

Biotrack ID: The Happy Confection-High Does-Boosted Berry-20ct 8513 2276 7755 2914

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu)	<100	100,000	AOAC 2014.05
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/unit)
CBDV		
CBDA		
CBGA		
CBG	0.010	8
CBD	0.010	8
THCV	<LOQ	<1
CBN	0.010	8
Δ^9 THC	0.542	448
Δ^8 THC		
CBL	0.010	8
THCA		
CBC		
Total Cannabinoids	0.582	480
Total THC % (0.877*THCA)+THC	0.54	

By GC - MS

Terpenes	Results (% w/w)
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes	Below Detection

Moisture

Results

Water Activity (Aw)	0.59
---------------------	------

Edible Dosing

Results

Average weight	4.1280
THC per edible	22.4



Connecticut Contract Manufacturing, LLC
30 Cold Spring Rd.
Rocky Hill, CT 06067

Date received: 10/22/2024
Report Date: 10/30/2024
NELabs Report ID: 2495170-03

HD Berry

Biotrack ID: The Happy Confection-High Does-Boosted Be 8513 2276 7755 2914

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/22/2024

DATE	Reviewed by	Released by
10/30/2024	 Garrett Johnson, QA/QC	 Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

