

Initial Unannounced Full/Partial Follow-up Location Change Investigation Other _____

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: Francisco Batista Date: 9/13/24 Time: 10:39am

Location Address: 44 Berkeley Avenue ^{apt 2} New London Telephone #: 860-881-4953

e-mail address: aridio.batista1961@gmail.com License #: 57057 Expiration Date: 5/31/26

Capacity: 6+3 # of Children Present: 0 # of Staff Present: 1

Consent to Inspect Family Child Care Home	<i>I agree to allow the Office of Early Childhood to have access to and inspect this facility and all child care records as required by Family Child Care Home Regulations.</i> Provider/Applicant/Substitute's Signature <u>X</u>
--	--

Purpose of visit: Follow up visit

Observations/Corrections needed:

19a-87b-6
#6 Provider failed to use good judgment when local health identified high levels of lead and provider did not follow local health instructions to remedy lead levels.

19a-87b-9(c)
* Provider failed to have freedom of hazards when OEC representative #23 observed pieces of wood with nails protruding accessible in an area where children walk past to go to outdoor play area - Provider removed immediately - no longer accessible to children

* #24 Provider failed to ensure harmful substances/materials inaccessible when lead dust wipe results are at high levels as of 8/19/24 report received by OEC and provider cared for children since last report until 9/12/24

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

CORRECTIVE PLAN SHALL BE RETURNED TO OEC BY: ASAF

Signature: Dwelyn Vicente Quinones
(OEC Representative)

Print Name: Evelyn Vicente Quinones

Signature: X Francisco Batista
(Person in Charge)

Print Name: Francisco Batista

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: Francisco Batista License # 57057 Date: 9/13/24

Observations/Corrections needed:

Discussions

DEC representative conducted walkthrough of entire home indoors/outdoors - no children present

DEC did not ~~observe~~^{see} observe kitchen being remodeled nor ⁱⁿ construction (picture and video taken with provider permission)

Provider has been informed and stated he understands and will comply in NOT providing child care until lead levels decrease to an acceptable level and local health and DEC approval to begin starting child care again.

Inspection conducted in Spanish and documentation translated verbally by DEC representative and stepdaughter present at time of visit and is bilingual.

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Evelyn Vicente - Quinones
(DEC Representative)
Print Name: Evelyn Vicente - Quinones

CORRECTIVE PLAN SHALL BE RETURNED TO

OEC BY: asap

Signature: X [Signature]
(Person in Charge)
Print Name: X Francisco BATISTA