NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Advanced Grow Labs
400 Frontage Road
West Haven, CT 06516

Date Received: 11/14/2024
Report Date: 11/22/2024
NELabs Report ID: 2495394-01

CMW-F10H32-240916-5PR

Biotrack ID: INTERMEDIATE AGL 5 Pack Minis Cherry Maui Wowie (S) 7783 2094 9955 4951

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	550	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<1.0
CBGA	0.58	13.0
CBG	<LOQ	<1.0
CBD		
THCV		
CBN		
Δ^9 THC	0.34	7.5
Δ^8 THC		
CBL		
THCA	26.37	592.5
CBC		
Total Cannabinoids	**27.29**	**613.0**
Total THC % (0.877*THCA)+THC	**23.47**	

By GC - MS

Terpenes	Results (% w/w)*
α-Pinene	0.03
β-Myrcene	0.79
β-Pinene	0.05
Limonene	0.33
α-Terpinolene	0.01
Linalool	0.07
β-Caryophyllene	0.09
α-Humulene	0.02
Caryophyllene Oxide	
α-Bisabolol	
Total Terpenes	**1.39**

* % by dry weight

Moisture	Results
Water Content (% w/w)	10.1
Water Activity (Aw)	0.41

NORTHEAST LABORATORIES INC.

Advanced Grow Labs
400 Frontage Road
West Haven, CT 06516

Date Received: 11/14/2024
Report Date: 11/22/2024
NELabs Report ID: 2495394-01

CMW-F10H32-240916-5PR

Biotrack ID: INTERMEDIATE AGL 5 Pack Minis Cherry Maui Wowie (S) 7783 2094 9955 4951

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 11/14/2024

DATE	Reviewed by	Released by
11/22/2024	Caelyn Audrain, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.