NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Theraplant LLC
856 Echo Lake Rd
Watertown, CT 06795

Date Received: 12/11/2024
Report Date: 12/18/2024
NELabs Report ID: 2495675-04

Wedding C 4506

Biotrack ID: Wedding C 4506 1531 4271 5607 2449

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	550	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*
CBDV	
CBDA	<LOQ
CBGA	1.51
CBG	<LOQ
CBD	
THCV	
CBN	
Δ^9 THC	0.72
Δ^8 THC	
CBL	
THCA	29.37
CBC	
Total Cannabinoids	**31.60**
Total THC % $_{(0.877*THCA)+THC}$	**26.48**

By GC - MS

Terpenes	Results (% w/w)*
α-Pinene	0.03
β-Myrcene	0.63
β-Pinene	0.05
Limonene	0.52
α-Terpinolene	
Linalool	0.19
β-Caryophyllene	0.42
α-Humulene	0.10
Caryophyllene Oxide	
α-Bisabolol	
Total Terpenes	**1.94**

* % by dry weight

Moisture	Results
Water Content (% w/w)	11.0
Water Activity (Aw)	0.51

Theraplant LLC
856 Echo Lake Rd
Watertown, CT 06795

Date Received: 12/11/2024
Report Date: 12/18/2024
NELabs Report ID: 2495675-04

Wedding C 4506

Biotrack ID: Wedding C 4506 1531 4271 5607 2449

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 12/11/2024

DATE	Reviewed by	Released by
12/18/2024	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.