NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Advanced Grow Labs
400 Frontage Road
West Haven, CT 06516

Date Received: 12/23/2024
Report Date: 12/27/2024
NELabs Report ID: 2495814-04

BSC-F12H2-240924-POP

Biotrack ID: INTERMEDIATE Rythm 3.5g SF B Scout (I) 7438 7223 3990 9500

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	250 cfu/g	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100 cfu/g	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<1.0
CBGA	2.15	66.2
CBG	0.20	6.2
CBD		
THCV		
CBN		
Δ^9 THC	0.55	16.9
Δ^8 THC		
CBL	<LOQ	<1.0
THCA	34.25	1054.9
CBC		
Total Cannabinoids	**37.15**	**1144.2**
Total THC % $_{(0.877*THCA)+THC}$	**30.59**	

By GC - MS

Terpenes	Results (% w/w)*
α-Pinene	0.04
β-Myrcene	0.24
β-Pinene	0.10
Limonene	0.99
α-Terpinolene	0.02
Linalool	0.05
β-Caryophyllene	0.24
α-Humulene	0.07
Caryophyllene Oxide	
α-Bisabolol	
Total Terpenes	**1.75**

* % by dry weight

Moisture	Results
Water Content (% w/w)	12.0
Water Activity (Aw)	0.46

NORTHEAST LABORATORIES INC.

Advanced Grow Labs
400 Frontage Road
West Haven, CT 06516

Date Received: 12/23/2024
Report Date: 12/27/2024
NELabs Report ID: 2495814-04

BSC-F12H2-240924-POP

Biotrack ID: INTERMEDIATE Rythm 3.5g SF B Scout (I) 7438 7223 3990 9500

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 12/23/2024

DATE	Reviewed by	Released by
12/27/2024	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.