

Nutmeg New Britain
1 Hartford Square 16s
New Britain, CT 06052

Date Received: 12/30/2024
Report Date: 1/3/2025
NELabs Report ID: 2495845-03

24-5-F1H3-PMPR

Biotrack ID: Permanent Marker 1g Pre Roll (I) 00158

9251 7093 3555 3080

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*
CBDV	
CBDA	<LOQ
CBGA	0.39
CBG	<LOQ
CBD	
THCV	
CBN	
Δ^9 THC	1.63
Δ^8 THC	
CBL	
THCA	22.18
CBC	
Total Cannabinoids	24.20
Total THC % $(0.877 \times \text{THCA}) + \text{THC}$	21.08

Terpenes	Results (% w/w)*
α -Pinene	0.05
β -Myrcene	0.02
β -Pinene	0.04
Limonene	0.25
α -Terpinolene	
Linalool	0.27
β -Caryophyllene	0.35
α -Humulene	0.09
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes	1.07

* % by dry weight

Moisture

Results

Water Content (% w/w)	10.0
Water Activity (Aw)	0.44



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Nutmeg New Britain
1 Hartford Square 16s
New Britain, CT 06052

Date Received: 12/30/2024
Report Date: 1/3/2025
NELabs Report ID: 2495845-03

24-5-F1H3-PMPR

Biotrack ID: Permanent Marker 1g Pre Roll (I) 00158

9251 7093 3555 3080

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 12/30/2024

DATE	Reviewed by	Released by
1/3/2025	 Garrett Johnson, QA/QC	 Zackary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

