



FAMILY CHILD CARE HOME SUPPLEMENTAL INSPECTION

| | | | | | | | |
|------------------------------|---|----------------------------------|---|--------------------------|--------------------------------|----------------------------|------------|
| Provider | FLORINDA VEGA | | | License Number | DCFH | Date of Inspection | 02/11/2025 |
| | | | | Expiration Date | | Time of Inspection | 09:42 AM |
| Address | 227 FANS ROCK RD HAMDEN CT 06518-2018 | | | Telephone | (203) 909-3310 | Regular Capacity | 6 |
| | | | | Days and Hours | Monday-Friday 7:30AM-4:30PM | School Age Capacity | 3 |
| # Children Present | 1 | # Under 18 months present | 1 | | | Summer Care | Open |
| Purpose of Inspection | Follow-Up for Violation Cited During Initial Regarding Safe Exits | | | Name of Inspector | Melina Perez | | |
| Provider's Email | aleve0322@gmail.com | | | Inspector's Email | melina.perez@ct.gov | | |

CONSENT TO INSPECT: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Florinda Vega

Signature of Provider/Applicant/Substitute/Emergency Caregiver

Regulatory Violations

| | |
|---|---------------------------------------|
| Statute and/or Regulation: [-] | Description: 000 No Violations |
| No violations were cited during this inspection | |
| Statute and/or Regulation: | Description: |
| Statute and/or Regulation: | Description: |
| Statute and/or Regulation: | Description: |
| Statute and/or Regulation: | Description: |

| | |
|---|--|
| Statute and/or Regulation: | Description: |
| | |
| Statute and/or Regulation: | Description: |
| | |
| Statute and/or Regulation: | Description: |
| | |
| Statute and/or Regulation: | Description: |
| | |
| Statute and/or Regulation: | Description: |
| | |
| Statute and/or Regulation: | Description: |
| | |
| Statute and/or Regulation: | Description: |
| | |
| Other Findings-Regulations In Compliance | |
| Statute and/or Regulation: [19a-87b-10(a)] | Description: 004-Capacity |
| | |
| Statute and/or Regulation: [19a-87b-5(e)] | Description: 006-Infant/Toddler Restriction |
| | |

| | |
|--|-----------------------------|
| Statute and/or Regulation: [19a-87b-9(d)(4)] | Description: 029-Safe Exits |
|--|-----------------------------|

| | |
|----------------------------|--------------|
| Statute and/or Regulation: | Description: |
|----------------------------|--------------|

| | |
|----------------------------|--------------|
| Statute and/or Regulation: | Description: |
|----------------------------|--------------|

| | |
|----------------------------|--------------|
| Statute and/or Regulation: | Description: |
|----------------------------|--------------|



| | |
|------------|--|
| YES/NO: No | WERE VIOLATIONS CITED DURING THIS VISIT? |
|------------|--|

DISCUSSIONS/COMMENTS

During initial inspection completed on 11/13/2024; applicant was cited for not meeting the requirements on her second means of egress in the basement. At the time of initial; the window that leads directly to the side of the home/driveway was observed to only measure 30 inches wide and only 20 inches in height.
28 - During today's follow-up visit, specialist observed the window in question has been replaced and the new window that was installed in its place measures 31 inches wide and 24 inches in height. Window was measured by the specialist and measurement was observed to be 23 inches wide and 23 inches high.
**Per conversation with supervisor as applicant has documentation confirming measurement sizes; okay to accept/use as a second means of egress.
The only child present today was the provider's child

IMPORTANT NOTES

- It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
- Items left blank on this form were not monitored during this visit. Only the regulations marked as compliant or non-compliant were monitored or discussed.
- APPLICANTS –You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.

| | | | |
|---|---------------------------------------|--------------------------------|--|
|  (Signature of OEC Representative) | (Signature of OEC Representative) | DATE CORRECTIONS DUE BY: |  (Signature of Person in Charge) |
| Melina Perez (Printed Name) | (Printed Name) | | FLORINDA VEGA (Printed Name) |