NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Curaleaf LLC
34 Hopmeadow Street
Weatogue, CT 06089

Date Received: 2/7/2025
Report Date: 2/12/2025
NELabs Report ID: 2596184-02

241114D-EF-E1

2964 8505 4526 0450

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV		
CBDA		
CBGA		
CBG	3.43	34.3
CBD	<LOQ	<1.0
THCV	<LOQ	<1.0
CBN	0.71	7.1
Δ^9 THC	85.75	857.5
Δ^8 THC		
CBL		
THCA		
CBC	0.95	9.5
Total Cannabinoids	**90.84**	**908.4**
Total THC % $_{(0.877*THCA)+THC}$	**85.75**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	0.17
β-Myrcene	1.16
β-Pinene	0.15
Limonene	0.85
α-Terpinolene	0.25
Linalool	0.08
β-Caryophyllene	0.21
α-Humulene	0.07
Caryophyllene Oxide	
α-Bisabolol	
Total Terpenes	**2.94**

ISO/IEC 17025:2017 Accredited
PJLA

Curaleaf LLC
34 Hopmeadow Street
Weatogue, CT 06089

Date Received: 2/7/2025
Report Date: 2/12/2025
NELabs Report ID: 2596184-02

241114D-EF-E1

2964 8505 4526 0450

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 2/7/2025

DATE	Reviewed by	Released by
2/12/2025	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.