NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Affinity Grow
47 Lower Main St
Portland, CT 06480

Date Received: 2/26/2025
Report Date: 3/4/2025
NELabs Report ID: 2596387-02

ERVape-022525

Biotrack ID: Eggroll Vape 0.5g 2347 0258 3015 0852

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	qPCR
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV		
CBDA		
CBGA		
CBG	2.30	11.5
CBD	<LOQ	<1.0
THCV	1.83	9.2
CBN	1.29	6.5
Δ^9 THC	85.10	425.5
Δ^8 THC		
CBL		
THCA		
CBC	0.86	4.3
Total Cannabinoids	**91.38**	**456.9**
Total THC % $_{(0.877*THCA)+THC}$	**85.10**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	0.10
β-Myrcene	0.14
β-Pinene	0.13
Limonene	0.98
α-Terpinolene	0.03
Linalool	0.64
β-Caryophyllene	0.61
α-Humulene	0.19
Caryophyllene Oxide	
α-Bisabolol	
Total Terpenes	**2.82**

NORTHEAST LABORATORIES INC.

Affinity Grow
47 Lower Main St
Portland, CT 06480

Date Received: 2/26/2025
Report Date: 3/4/2025
NELabs Report ID: 2596387-02

ERVape-022525

Biotrack ID: Eggroll Vape 0.5g 2347 0258 3015 0852

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 2/26/2025

DATE	Reviewed by	Released by
3/4/2025	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA