

Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 3/12/2025
Report Date: 3/18/2025
NELabs Report ID: 2596558-04

all:hours Muel Fuel Rosin Roll Shorties 4791

Biotrack ID: all:hours Muel Fuel Rosin Roll Shorties 4791

7131 3670 8389 9582

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	0.40	6.0
CBGA	0.62	9.2
CBG	0.67	10.0
CBD		
THCV	<LOQ	<1.0
CBN	<LOQ	<1.0
Δ^9 THC	23.96	361.2
Δ^8 THC		
CBL	<LOQ	<1.0
THCA	25.48	384.0
CBC	<LOQ	<1.0
Total Cannabinoids	51.13	770.4
Total THC % (0.877*THCA)+THC	46.31	

Terpenes	Results (% w/w)*
α -Pinene	0.04
β -Myrcene	0.31
β -Pinene	0.03
Limonene	0.24
α -Terpinolene	0.01
Linalool	0.16
β -Caryophyllene	0.45
α -Humulene	0.12
Caryophyllene Oxide	
α -Bisabolol	0.09
Total Terpenes	1.45

* % by dry weight

Moisture

Results

Water Content (% w/w)	5.8
Water Activity (Aw)	0.32



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 3/12/2025
Report Date: 3/18/2025
NELabs Report ID: 2596558-04

all:hours Muel Fuel Rosin Roll Shorties 4791

Biotrack ID: all:hours Muel Fuel Rosin Roll Shorties 4791

7131 3670 8389 9582

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/12/2025

Updated COA to correct dosing 3/19/2025

DATE 3/18/2025	Reviewed by  Garrett Johnson, QA/QC	Released by  Zackary Cannone, Laboratory Director
--------------------------	---	---

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

Not all results and/or analytes reported are obtained for ISO accredited testing methods.

Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

