

Theraplant LLC
856 Echo Lake Rd
Watertown, CT 06795

Date Received: 3/20/2025
Report Date: 3/27/2025
NELabs Report ID: 2596661-07

Indoti T50 4860

Biotrack ID: Indoti T50 4860

7721 8356 1591 2466

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg)	
		(per serving)	(per package)
CBDV			
CBDA			
CBGA			
CBG	0.43	2.0	20
CBD	<LOQ	<1.0	<1.0
THCV	0.11	0.5	5.0
CBN	0.19	0.9	9.0
Δ^9 THC	9.27	42.7	427.0
Δ^8 THC			
CBL	0.37	1.7	17.0
THCA			
CBC			
Total Cannabinoids	10.37	47.8	478.0
Total THC % $(0.877 \cdot \text{THCA}) + \text{THC}$	9.27		

Terpenes	Results (% w/w)
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes	Below Detection

Average Wt.	Results
Average wt. per capsule	0.4605g
Average wt. (10 capsules)	4.605g



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Theraplant LLC
856 Echo Lake Rd
Watertown, CT 06795

Date Received: 3/20/2025
Report Date: 3/27/2025
NELabs Report ID: 2596661-07

Indoti T50 4860

Biotrack ID: Indoti T50 4860

7721 8356 1591 2466

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 3/20/2025

DATE	Reviewed by	Released by
3/27/2025		
	Garrett Johnson, QA/QC	Zackary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

