

Advanced Grow Labs
400 Frontage Rd
West Haven, CT 06516

Date Received: 03/27/0225
Report Date: 4/3/2025
NELabs Report ID: 2596756-02

D-250305-6986-Tab5

Biotrack ID: INTERMEDIATE AGL Micro Tablets

6686 2853 6461 6290

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	<LOQ	<1.0
CBDA		
CBGA	0.02	<1.0
CBG	0.10	<1.0
CBD	<LOQ	<1.0
THCV	0.15	<1.0
CBN	0.06	<1.0
Δ^9 THC	1.84	129.0
Δ^8 THC		
CBL	<LOQ	<1.0
THCA	0.03	3.0
CBC	0.03	<1.0
Total Cannabinoids	2.24	132.0
Total THC % (0.877*THCA)+THC	1.87	

Terpenes	Results (% w/w)
α -Pinene	
β -Myrcene	
β -Pinene	
Limonene	
α -Terpinolene	
Linalool	
β -Caryophyllene	
α -Humulene	
Caryophyllene Oxide	
α -Bisabolol	
Total Terpenes	Below Detection

Edible Dosing

Results

Average weight (g)	0.2334
THC (mg)	4.3



Advanced Grow Labs
400 Frontage Rd
West Haven, CT 06516

Date Received: 03/27/0225
Report Date: 4/3/2025
NELabs Report ID: 2596756-02

D-250305-6986-Tab5

Biotrack ID: INTERMEDIATE AGL Micro Tablets

6686 2853 6461 6290

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 03/27/0225

DATE	Reviewed by	Released by
4/3/2025		
	Garrett Johnson, QA/QC	Zackary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

