

Advanced Grow Labs
400 Frontage Road.
West Haven, CT 06516

Date Received: 4/3/2025
Report Date: 4/9/2025
NELabs Report ID: 2596843-06

WD-F12H4-250217-POP1

Biotrack ID: INTERMEDIATE Rythm 3.5 Small Flower White Durban (S)

8675 3638 1256 7846

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	150	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<1.0
CBGA	1.77	54.6
CBG	<LOQ	<1.0
CBD		
THCV		
CBN		
Δ^9 THC	1.61	49.5
Δ^8 THC		
CBL		
THCA	26.54	818.2
CBC		
Total Cannabinoids	29.91	922.3
Total THC % (0.877*THCA)+THC	24.88	

Terpenes	Results (% w/w)*
α -Pinene	0.06
Camphene	0.01
β -Myrcene	0.20
β -Pinene	0.10
δ -3-Carene	0.04
Limonene	0.19
p-Cymene	0.03
α -Terpinolene	0.69
Linalool	0.05
Caryophyllene	0.11
α -Humulene	0.06
α -Bisabolol	
Terpinene (total)	0.10
Ocimene (total)	0.39
Nerolidol (total)	0.01
Total Terpenes	2.04

Moisture

Results

Water Content (% w/w)	11.9
Water Activity (Aw)	0.47



Advanced Grow Labs
400 Frontage Road.
West Haven, CT 06516

Date Received: 4/3/2025
Report Date: 4/9/2025
NELabs Report ID: 2596843-06

WD-F12H4-250217-POP1

Biotrack ID: INTERMEDIATE Rythm 3.5 Small Flower White Durban (S)

8675 3638 1256 7846

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 4/3/2025

DATE	Reviewed by	Released by
4/9/2025		
	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

