

CHILD CARE CENTER and GROUP CHILD CARE HOME INSPECTION FORM

PROGRAM NAME	Alliance, Inner City	LICENSE NUMBER	14425	DATE OF INSPECTION	4-14-25
---------------------	----------------------	-----------------------	-------	---------------------------	---------

RECORD KEEPING 19a-79-5a			
<input checked="" type="checkbox"/>	36.	(a)(1)(A-C)	Children's Enrollment information
<input checked="" type="checkbox"/>	37.		PARENT PERMISSIONS
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (a)(1)(D)(i)	Emergency medical permission
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (a)(1)(D)(ii)	Authorized release permission
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (a)(1)(D)(iii)	Field trip permission
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (a)(1)(D)(iv)	Transportation permission
<input checked="" type="checkbox"/>	38.	(a)(2)(A-B)	Child Health Records
<input checked="" type="checkbox"/>	39.	(a)(2)(C)	Immunization records
<input checked="" type="checkbox"/>	40.	(a)(2)(E)	Individual care plan-signed by parents/staff
<input checked="" type="checkbox"/>	41.	(a)(3)(A)	Injury, Illness, Incident, Accident reports
<input checked="" type="checkbox"/>	42.	(a)(3)(B)	Parent notification of illness or injury
<input checked="" type="checkbox"/>	43.	(a)(3)(C)(i-ii)	Notify OEC of serious injuries, fatality
<input checked="" type="checkbox"/>	44.	(a)(3)(D)	Notify DPH, local health-reportable diseases
<input checked="" type="checkbox"/>	45.	(a)(4)	Video recordings- keep 30 days

PHYSICAL PLANT 19a-79-7a cont.			
<input checked="" type="checkbox"/>	71.	(d)(1)	Emergency vehicle access
<input checked="" type="checkbox"/>	72.	(d)(2)	Walkways maintained
<input checked="" type="checkbox"/>	73.	(d)(3)	Windows protected to prevent falls
<input checked="" type="checkbox"/>	74.	(d)(3)	Window screens
<input checked="" type="checkbox"/>	75.	(d)(4)	Glass/mirrors protected- 36"
<input checked="" type="checkbox"/>	76.	(d)(5)	Overhead doors-locking devices, spring protectors (N/A)
<input checked="" type="checkbox"/>	77.	(d)(6), (f)(3)	Exits, stairs, hallways unobstructed
<input checked="" type="checkbox"/>	78.	(d)(7)	Individual storage of clothing and bedding
<input checked="" type="checkbox"/>	79.		SMOKING
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(8)	Smoking, vaping or other electronic nicotine device prohibited on premises/grounds
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(8)	Matches/lighters inaccessible
<input checked="" type="checkbox"/>	81.	(d)(9)	Electrical safety - outlets inaccessible - covered or protected
<input checked="" type="checkbox"/>	82.		TOILETING
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(A)	Shared toilets/sinks-supervision plan
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(B)	Toileting needs met
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(C)	Potty chairs-nonporous, emptied, disinfected
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(C)	Required toilets/sinks-1:16
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(E)	Toileting Supplies-Hand drying-Garbage
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(E)	Handwashing staff/children
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(F)	Toilets/sinks located at the facility
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(G)	Well lighted/ventilated toilet rooms
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)(10)(H)	Mechanical ventilation (after 1/1/94) (Grp Homes N/A)
<input checked="" type="checkbox"/>	83.	(d)(11)	Staff personal articles inaccessible
<input checked="" type="checkbox"/>	84.		AIR TEMPERATURE
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(1)	Air temp 65 °F at 3 ft -non-mercury thermometer affixed to wall
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(2)	Air temp > 80 °F - ↑ fluids/ventilation
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(3)	Water temperature 60°F-120°F
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(4)	Portable space heaters prohibited
<input checked="" type="checkbox"/>	86.		WALLS/CEILINGS/FLOORS/RUGS
<input checked="" type="checkbox"/>	87.		Walls/ceilings/floors/rugs-clean/good repair
<input checked="" type="checkbox"/>	88.	<input checked="" type="checkbox"/> (e)(5)	Rugs- not a tripping/slipping hazard
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(5)	Hot water/Steam pipes protected
<input checked="" type="checkbox"/>	90.	(e)(6)	TELEPHONE/TELEPHONE NUMBERS
<input checked="" type="checkbox"/>	91.	<input checked="" type="checkbox"/> (e)(7)	Working phone on each level
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(7)	Emergency numbers posted-adjacent to phones
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(7)	Parents provided direct on site phone number
<input checked="" type="checkbox"/>	94.		LIGHTING
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(8)	All areas min. 1 foot candle of lighting
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(9)	Adequate lighting-30/50 candle feet-sufficient lighting to be visible
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(9)	Enough lighting for comfort
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (e)(9)	Light fixtures shielded/shatter proof
<input checked="" type="checkbox"/>	95.	(e)(10)	Potentially hazardous substances, materials labeled, inaccessible
<input checked="" type="checkbox"/>	96.	(e)(11)	Garbage/rubbish-disposed of daily, containers in good repair
<input checked="" type="checkbox"/>	97.	(e)(12)	Stairs-protected/good repair-handrails
<input checked="" type="checkbox"/>	98.	(e)(13)	Toxic plants/materials inaccessible
<input checked="" type="checkbox"/>	99.	(e)(14-15)	Pets or other animals-in good health, written care plan including access to children
<input checked="" type="checkbox"/>	100.	(e)(16)	Measures to prevent vermin
<input checked="" type="checkbox"/>	101.	(e)(17)	Radon test- Results: <u>2</u> (Schls-N/A)
<input checked="" type="checkbox"/>	102.	(e)(18)	Carbon monoxide detector-each level N/A
<input checked="" type="checkbox"/>	103.	(f)(1)(A)	Program space-adequate-35 sq. ft. per child
<input checked="" type="checkbox"/>	104.	(g)(1)	Equipment-clean and safe, good repair, non-toxic-sturdy, free from protruding nails, free from rust
<input checked="" type="checkbox"/>	105.	(g)(2)	Adequate equipment for rest-cleaned-cots (Grp Homes only-mats/sleeping bags)
<input checked="" type="checkbox"/>	106.	(g)(3)	Air conditioners/water heaters/fuse boxes inaccessible
<input checked="" type="checkbox"/>	107.	(g)(4)	Developmentally app equipment, materials

HEALTH and SAFETY 19a-79-6a			
<input checked="" type="checkbox"/>	46.	(a)(1)	Preparation, transportation of food-follow DPH Model Food Code (N/A)
<input checked="" type="checkbox"/>	47.	(a)(2)	Nutritious meals and snacks
<input checked="" type="checkbox"/>	48.	(a)(3)	Proper refrigeration-41 degrees
<input checked="" type="checkbox"/>	49.	(a)(4)	Menus-1 wk in advance- keep 3 mths
<input checked="" type="checkbox"/>	50.	(a)(5)	Food Service Inspection <u>1-1-25</u> (N/A)
<input checked="" type="checkbox"/>	51.	(a)(6)	Kitchen-clean/safe storage of food/supplies(N/A)
<input checked="" type="checkbox"/>	52.	(a)(7)	Separate hand washing facilities
<input checked="" type="checkbox"/>	53.	(a)(8)	Multi-use eating/drinking utensils
<input checked="" type="checkbox"/>	54.	(a)(9)	Kitchen separated (N/A)
<input checked="" type="checkbox"/>	55.	(a)(10)	Children supervised during meal prep
<input checked="" type="checkbox"/>	56.	(a)(11)	Handwashing-staff/children
<input checked="" type="checkbox"/>	57.	(b)(1)	Illness procedures-staff knowledgeable, children observed for signs/symptoms
<input checked="" type="checkbox"/>	58.	(b)(2)	Designated isolation area
<input checked="" type="checkbox"/>	59.	<input checked="" type="checkbox"/> (c)	FIRST AID KITS -portable, accessible to staff, closed container-Indoor/Outdoor/Field Trips
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (c)	FIRST AID SUPPLIES -Indoor/Outdoor-adhesive strips, 3-4" gauze squares, 2" rolled gauze, tape, scissors, tweezers, 2 cold packs, thermometer, gloves, CPR mouth barrier
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (d)	FIRST AID SUPPLIES -add'l for field trips water, phone, soap, emergency numbers, medications, plastic bags (N/A)

PHYSICAL PLANT 19a-79-7a			
<input checked="" type="checkbox"/>	62.	(a)(2)	Fire marshal codes/certificate <u>2-8-24</u>
<input checked="" type="checkbox"/>	63.	(b)	Indoor/Outdoor space inspected/approved
<input checked="" type="checkbox"/>	64.	(b)(1)-(5)	Construction/expansion/renovation/conversion
<input checked="" type="checkbox"/>	65.	(b)(6)	Space not inspected/approved but used for field trips-written parent permission
<input checked="" type="checkbox"/>	66.	(c)(2)	Licensed premises-clean, good repair, hazard free, maintenance program
<input checked="" type="checkbox"/>	67.	(c)(3)	Building/Equipment/Furnishings-sanitary, hazard free (N/A)
<input checked="" type="checkbox"/>	68.	(c)(4)	Testing of premises/grounds for chemicals
<input checked="" type="checkbox"/>	69.		WATER SUPPLY -Public/Well (Schools-N/A)
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (c)(5)(A)	Lead Water Test - Date: <u>1-18-24</u>
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (c)(5)(B)	Bact./Chem Test-Date: _____ (N/A)
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (c)(5)(C)	Drinking water available/accessibile
<input checked="" type="checkbox"/>	70.	<input checked="" type="checkbox"/> (c)(6)(A)	LEAD PAINT - Building Pre-78: <u>Y/N</u> Lead Test: <u>Y/N</u> Results <u>None detected</u>
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> (c)(6)(B-D)	Lead Management Plan <u>AD</u> <u>every 3 months</u>
<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	Peeling Paint - <u>Y/N</u> Inside/Outside

<input checked="" type="checkbox"/>	95.	(e)(10)	(e)(10)
<input checked="" type="checkbox"/>	96.	(e)(11)	(e)(11)
<input checked="" type="checkbox"/>	97.	(e)(12)	(e)(12)
<input checked="" type="checkbox"/>	98.	(e)(13)	(e)(13)
<input checked="" type="checkbox"/>	99.	(e)(14-15)	(e)(14-15)
<input checked="" type="checkbox"/>	100.	(e)(16)	(e)(16)
<input checked="" type="checkbox"/>	101.	(e)(17)	(e)(17)
<input checked="" type="checkbox"/>	102.	(e)(18)	(e)(18)
<input checked="" type="checkbox"/>	103.	(f)(1)(A)	(f)(1)(A)
<input checked="" type="checkbox"/>	104.	(g)(1)	(g)(1)
<input checked="" type="checkbox"/>	105.	(g)(2)	(g)(2)
<input checked="" type="checkbox"/>	106.	(g)(3)	(g)(3)
<input checked="" type="checkbox"/>	107.	(g)(4)	(g)(4)

CHILD CARE CENTER and GROUP CHILD CARE HOME INSPECTION FORM

PROGRAM NAME	Alliance Inner City	LICENSE NUMBER	14425	DATE OF INSPECTION	4-15-25
PHYSICAL PLANT 19a-79-7a cont.			UNDER THREE ENDORSEMENT 19a-79-10 cont.		
<input checked="" type="checkbox"/> 108. (g)(5) <input checked="" type="checkbox"/> 109. (g)(6) <input checked="" type="checkbox"/> 110. (j) <input checked="" type="checkbox"/> 111. (h)(1) <input checked="" type="checkbox"/> (h)(2) <input checked="" type="checkbox"/> (h)(3) <input checked="" type="checkbox"/> (h)(4) <input checked="" type="checkbox"/> (h)(5) <input checked="" type="checkbox"/> (h)(6) <input checked="" type="checkbox"/> (h)(8) <input checked="" type="checkbox"/> (h)(9) <input checked="" type="checkbox"/> 112. (h)(7) <input checked="" type="checkbox"/> (h)(7)(A) <input checked="" type="checkbox"/> (h)(7)(B) <input checked="" type="checkbox"/> (h)(7)(C) <input checked="" type="checkbox"/> 114. (i) <input checked="" type="checkbox"/> (i) <input checked="" type="checkbox"/> (i)	Manufacture guidelines followed-furniture, equipment and toys-CPSC unsafe/recalls Indoor climbing play equipment-shock absorbing materials under and around No weapons/no facsimile of a firearm OUTDOOR SPACE Adequate space- 75 sq. ft. per child Shock absorbing surfaces-minimum 8" Playground free from hazards Nuts, bolts, screws-tight, covered/protected Outside equipment anchored-anchors buried New equip- cert playg. Inspection upon request Drinking water available/accessible Equipment arranged for safety-equip/fences/structures not hazardous OUTDOOR PROTECTED/FENCED Playground protected from traffic, water, gullies or other hazards Fences installed to protect from hazards-4 ft Fences installed to protect from water-4 ft, self closing and self latching devices or locks Rooftop play areas-6 ft. wall/barrier (N/A) WATER HAZARDS Pools, swimming areas- conforms to 19-13-B33b and 19a-36-B61 (N/A) Wading pools prohibited Hot tubs/spas/saunas-locked/inaccessible (N/A)	<input checked="" type="checkbox"/> 128. (e)(2) <input checked="" type="checkbox"/> (e)(3) <input checked="" type="checkbox"/> (e)(4) <input checked="" type="checkbox"/> (e)(5) <input checked="" type="checkbox"/> (e)(6-9) <input checked="" type="checkbox"/> (e)(7) <input checked="" type="checkbox"/> (e)(8) <input checked="" type="checkbox"/> (e)(10)(A-C) <input checked="" type="checkbox"/> 129. (f)(1) <input checked="" type="checkbox"/> (f)(2) <input checked="" type="checkbox"/> (f)(3) <input checked="" type="checkbox"/> (f)(4) <input checked="" type="checkbox"/> 130. (g)(1) <input checked="" type="checkbox"/> (g)(1) <input checked="" type="checkbox"/> (g)(1) <input checked="" type="checkbox"/> (g)(2) <input checked="" type="checkbox"/> (g)(3) <input checked="" type="checkbox"/> (g)(4) <input checked="" type="checkbox"/> (g)(5) <input checked="" type="checkbox"/> (g)(6) <input checked="" type="checkbox"/> (g)(7) <input checked="" type="checkbox"/> (g)(8) <input checked="" type="checkbox"/> 131. (h)(1) <input checked="" type="checkbox"/> (h)(1) <input checked="" type="checkbox"/> (h)(2) <input checked="" type="checkbox"/> (h)(2) <input checked="" type="checkbox"/> 135. (i)(1)(2A-C) <input checked="" type="checkbox"/> 136. (j) <input checked="" type="checkbox"/> (k)(1) <input checked="" type="checkbox"/> (k)(2) <input checked="" type="checkbox"/> (k)(3) <input checked="" type="checkbox"/> (k)(4) <input checked="" type="checkbox"/> (k)(5) <input checked="" type="checkbox"/> 137. (l)(1) <input checked="" type="checkbox"/> 138. (l)(2) <input checked="" type="checkbox"/> 139. (l)(3)	DIAPERING cont. Diaper area: used only for this purpose, located in the program area Diaper area: non-porous surface/good repair Diaper area: washed/disinfected after use Diaper area: disposable paper sheets Covered waste receptacle-removed daily Handwashing-staff/children Diapering-Handwashing policies-posted/followed Cloth diapers-written plan developed LINENS/CLOTHING Linens/emergency clothing available Linens washed weekly or as needed Linens/clothing stored individually Cribs/cots cleaned-linens changed when shared SAFE SLEEP Under 12 mths placed on back for sleeping Crib-snug fitting mattress/tightly fitted sheet Alternate sleep position/equipment-medical documentation for medical reason on file Infants allowed to adopt other sleep positions No items in/on cribs-blankets, toys, bumpers, pillows, weighted blankets/sleepers/swaddles No unapproved sleeping-car seats/swings/beds, etc. No swaddling w/o written documentation from MD/PA/APRN- instructions/timeframes Observe/assess infants at least every 15 minutes Teething necklaces/bracelets, jewelry inaccessible Safe sleep policies - parents informed TOYS AND OTHER OBJECTS Infant toys-separate/washed/sanitized daily Toddler toys-washed/sanitized weekly No toys/objects less than 1 ¼ " diameter Plastic bags/balloons/styrofoam inaccessible unless under direct supervision Health consultant visits/documentation FEEDING Infants held for bottles - chairs for feeding - individual attn, tummy time, crawl/toddle Written feeding schedule from parent-updated Unused formula/milk discarded after feedings Clean bottles/disposable bottles/appvd washing Baby food served from dish or whole jar Bottles labeled with child's name Outdoor spaced fenced-4 ft (lic. after 1/1/25) Outdoor equipment-developmentally appropriate for ages of the children Shock ab materials less than 1 ¼ "-or measures in place to ensure their health & safety		
EDUCATIONAL REQUIREMENTS 19a-79-8a					
<input checked="" type="checkbox"/> 115. (a) <input checked="" type="checkbox"/> 116. (a) <input checked="" type="checkbox"/> (1)-(11) <input checked="" type="checkbox"/> (b)	Written daily/weekly educational plan - developmentally appropriate- available to staff/parents EDUCATIONAL REQUIREMENTS Indoor/outdoor, flexible schedule, cultural content, balanced experiences, exploration and discovery, variety of materials, rest/sleep/quiet time, meals/snacks, toileting, individual/small group activities, moderate and vigorous physical activity that takes place outdoors Limited access to screen time, cell phones, computers, video games-no access under age 2, over age 2 only for educational/physical activity purposes	<input checked="" type="checkbox"/> 131. (i)(1)(2A-C) <input checked="" type="checkbox"/> 132. (j) <input checked="" type="checkbox"/> (k)(1) <input checked="" type="checkbox"/> (k)(2) <input checked="" type="checkbox"/> (k)(3) <input checked="" type="checkbox"/> (k)(4) <input checked="" type="checkbox"/> (k)(5) <input checked="" type="checkbox"/> 137. (l)(1) <input checked="" type="checkbox"/> 138. (l)(2) <input checked="" type="checkbox"/> 139. (l)(3)	(N/A) (N/A) (N/A)		
UNDER THREE ENDORSEMENT 19a-79-10			Y/N		
<input checked="" type="checkbox"/> 117. (b) <input checked="" type="checkbox"/> 118. (c)(2) <input checked="" type="checkbox"/> 119. (c)(3) <input checked="" type="checkbox"/> 120. (c)(4) <input checked="" type="checkbox"/> 121. (d)(1)(A-C) <input checked="" type="checkbox"/> 122. (d)(2)(Ai-iii) <input checked="" type="checkbox"/> 123. (d)(2)(B) <input checked="" type="checkbox"/> 124. (d)(2)(C) <input checked="" type="checkbox"/> 125. (d)(2)(D) <input checked="" type="checkbox"/> 126. (d)(2)(E) <input checked="" type="checkbox"/> 127. (d)(3)(A-C) <input checked="" type="checkbox"/> 128. (e)(1)	Approved Under 3 Endorsement Ratios- 1:4 (6wks-24mths), 1:5 (24-36mths) Group size-maximum of 8 (6wks-24mths), Maximum of 10 (24-36mths) Physical barriers separating each group of children- indoors/outdoors Adequate sinks in program space (Grp Homes accessible) handwashing-diapering-food prep Cribs/Pack-n-Plays -in compliance w/CPSC Washable cots Chairs for feeding-stable base-safety straps-locking tray Dev. appropriate tables/chairs/equipment Refrigerator and food prep facilities Optional furniture/equip-safe/hazard free DIAPERING Diaper area: elevated/sturdy/safety rail	<input checked="" type="checkbox"/> 137. (l)(1) <input checked="" type="checkbox"/> 138. (l)(2) <input checked="" type="checkbox"/> 139. (l)(3)	(N/A) (N/A) (N/A)		
UNDER THREE ENDORSEMENT 19a-79-10			Y/N		
SCHOOL AGE ENDORSEMENT 19a-79-11			Y/N		
<input checked="" type="checkbox"/> 140. (b) <input checked="" type="checkbox"/> 141. (c) <input checked="" type="checkbox"/> (c)(1) <input checked="" type="checkbox"/> (c)(2) <input checked="" type="checkbox"/> (c)(3) <input checked="" type="checkbox"/> 143. (d) <input checked="" type="checkbox"/> 144. (e)	Approved Schl Age Endorsement SCHEDULE - ACTIVITIES Written daily program plan-flexible schedule-available to staff/parents Activities not a duplication of child's day Activities include cognitive, physical, social, emotional needs of the children Program includes free time, snacks, creative/physical/small group/self-concept activities, homework time, special events Ratio- 1:15 Group size- max. 30	<input checked="" type="checkbox"/> 140. (b) <input checked="" type="checkbox"/> 141. (c) <input checked="" type="checkbox"/> (c)(1) <input checked="" type="checkbox"/> (c)(2) <input checked="" type="checkbox"/> (c)(3) <input checked="" type="checkbox"/> 143. (d) <input checked="" type="checkbox"/> 144. (e)	(N/A) (N/A) (N/A)		

CHILD CARE CENTER and GROUP CHILD CARE HOME INSPECTION FORM

PROGRAM NAME	Alliance Inner City	LICENSE NUMBER	14425	DATE OF INSPECTION	4-15-25
---------------------	---------------------	-----------------------	-------	---------------------------	---------

SCHOOL AGE ENDORSEMENT 19a-79-11 Y/N <input checked="" type="checkbox"/>	MONITORING OF DIABETES 19a-79-13 Y/N <input checked="" type="checkbox"/>
---	---

<input checked="" type="checkbox"/>	145.	(f)	4 yr. olds enrolled in schl age-written authorization/permission from director/parent
<input checked="" type="checkbox"/>	146.	(g)	Designated Head teacher approved- 60%

<input checked="" type="checkbox"/>	171.	(a)(1)	Written policies and procedures
<input checked="" type="checkbox"/>	172.	(b)(1)(A)	STAFF TRAINING Staff training – first aid
		(b)(1)(B)	Staff training – use/storage/maintenance of monitoring equipment, reading test results, appropriate actions
		(i)-(iii)	
		(b)(2)	Training updated at least every 3 years
		(b)(3)	Written documentation of training
		(c)(2)	Trained staff on site when child is present
		(c)(3)	Self-administration - written authorization and under supervision of trained staff
		(d)(1)	Equipment provided by parents
		(d)(2)	Equipment labeled and inaccessible
		(d)(3)	Signed agreement with parent regarding equipment, supplies, materials to be discarded
		(e)(1)	Authorized prescriber written order
		(e)(2)	Written authorization from parent
		(e)(3)	Testing results and actions taken – documented and kept on file, ensure parents are notified daily

NIGHT CARE ENDORSEMENT 19a-79-12 (10pm-5am) Y/N

<input checked="" type="checkbox"/>	147.	(b)	Approved Night Care Endorsement
<input checked="" type="checkbox"/>	148.	(b)(1)	Person in charge-head teacher
<input checked="" type="checkbox"/>	149.	(b)(2)	Written plan for program activities- meet individual needs, sleep patterns, quiet activities
<input checked="" type="checkbox"/>	150.	(b)(3)	Written plan for supervision including cot placement and evacuation
<input checked="" type="checkbox"/>	151.	(b)(4)	Children in care no more than 12 hrs. in 24
<input checked="" type="checkbox"/>	152.	(b)(5)	Staff awake and available
<input checked="" type="checkbox"/>	153.		SLEEP PROVISIONS
		(b)(6)	Individual cot/crib with bedding
		(b)(6)(A)	Sleeping apparel/toiletries labeled
		(b)(6)(B)	Required bedding
		(b)(6)(C)	Required toiletries
		(b)(6)(D)	Bedding/sleeping apparel laundered weekly
		(b)(7)	Sleep arrangements for infants
<input checked="" type="checkbox"/>	154.	(b)(8)	Air temp 65 °F at 3 ft
<input checked="" type="checkbox"/>	155.	(b)(9)	Fire marshal approval-hours specified
<input checked="" type="checkbox"/>	156.	(b)(10)	Local health approval

ADMINISTRATION OF MEDICATIONS 19a-79-9a Y/N

<input checked="" type="checkbox"/>	157.	(9a)	Written medication policies/procedures
<input checked="" type="checkbox"/>	158.	(9a)	Permit enrollment of children with asthma, allergies, diabetes
<input checked="" type="checkbox"/>	159.		NONPRESC. TOPICAL MEDICATION
		(a)(2)	Admin/Parent permission/report errors
		(a)(3)(A-B)	Labeling and Storage
		(a)(3)(C)	Unused/expired meds destroyed/returned
<input checked="" type="checkbox"/>	160.		MEDICATION TRAINING
		(b)(1)(A/C)	Medication training-general-oral/top/inhalant
		(b)(1)(D)	Injectable premeasured autoinjector medication
		(b)(1)(E)	Rectal medication
		(b)(1)(F)	Injectable other than premeasured auto-injector
		(b)(2)(A-B)	Training approval documents/certificates
		(b)(2)(C)	Training outline on file
<input checked="" type="checkbox"/>	161.	(b)(3)(A-B)	Authorized prescriber/parent permission
<input checked="" type="checkbox"/>	162.	(b)(3)(D)	Medication errors- documentation, parent(s) and OEC notification
<input checked="" type="checkbox"/>	163.	(b)(4)(A-B)	Medication Administration Records (MAR)
<input checked="" type="checkbox"/>	164.	(b)(5)(A-B)	Labeling and Storage
<input checked="" type="checkbox"/>	165.	(b)(5)(C)	Emergency medication inaccessible
<input checked="" type="checkbox"/>	166.	(b)(5)(D)	Unused/Expired meds-destroyed/returned
<input checked="" type="checkbox"/>	167.	(b)(5)(E)	Auto-injector/inhalant equipment
<input checked="" type="checkbox"/>	168.	(b)(6)	Self-administration documentation
<input checked="" type="checkbox"/>	169.	(b)(7)(A-B)	Petition for special medication authorization
<input checked="" type="checkbox"/>	170.	(d)	Potassium Iodide (KI) emergency distribution-permission and storage (N/A)

ADDITIONAL VIOLATION

<input checked="" type="checkbox"/>	180.	-	Consent Order/Negotiated Corrective Action Plan conditions (N/A)
-------------------------------------	------	---	--

DISCUSSIONS/COMMENTS

NOTE: Only regulations marked as compliant or non-compliant were monitored or discussed during the visit.

Signature of OEC staff	Cathy Andersen
Printed Name	Cathy Andersen

Signature of person in charge	Tamiha Grace
Printed Name	Tamiha Grace

OEC DIVISION OF LICENSING
 450 Columbus Blvd, Suite 302, Hartford, CT 06103
 Help Desk: (800)282-6063 or (860)500-4450
 Website: www.ctoec.org/licensing Email: oeclicensing@ct.gov

Inspection shall be posted or available for review upon request.

Written Corrective Action Plan Due by: 4/29/25	CAP: https://www.ctoec.org/forms-documents/corrective-action-plan-and-resolving-disputed-violations.pdf/
--	--

SUPPLEMENTAL REPORT OF INSPECTION

Name of Program/Provider: Alliance for Cmty Empowerment License # 14425 Date: 4-15-25

Observations/Corrections needed: inner city Children's ctr

Discussed - new regulations and provided policy checklist. Programs shall come into compliance.

Regulation not in compliance when:

- #62 - Fire marshal certificate on site expired 3-8-25 (send copy to OEC)
- #66 - room L - Cord by garbage can is not secured and red chair has tears bathroom by room L - 1 toilet non working, ceiling vent dusty and 1 ceiling vent not secured and hallway lockers have rust accessible, toilet seat worn
- Room G - outlet not attached to wall and has protruding nails and wire accessible, radio on cubby and cord not secured, Bathroom by room G - 1 toilet is non working
- Room F - Cord not secured on floor and large storage shelves not secured and have knots
- #86 - hand washing sink in bathroom by room L measured water temp - 137.1 and 135.1
- #88 - Child bathroom around toilets is unclean with black and yellow spots
- Walls behind garbage cans ^{or} have flood ^{or} splinter, floor trim is rough and chipping
- #111(h)(3) - 4 large carts stored by entrance of playground and are rusty, brake or not secured and lattice is unsecured
- (h)(4) - Screw are protruding on gates
- #116(i)(11) - Under 3's do not play on the playground staff stated they go on stroller walks.
- #2 - new staff that started today stated she did not know any child's name and if any children are on a care plan (there was 1 child with Asthma)
- Discussed - 1 medication form not completed ^{and} forms are missing w/ addresses
- #19 - 1 Staff health form is expired and 1 Staff health form does not have an expiration

S = Substantiated NS = Not Substantiated P = Pending (if applicable)

Operators/providers are required by regulations and statutes to be in compliance at all times.

Signature: Cathy Anderson (OEC Representative) Print Name: Cathy Anderson

CORRECTIVE PLAN SHALL BE RETURNED TO

Signature: Samiha Grace (Person in Charge) Print Name: Samiha Grace

OEC BY: 4-29-25