Analytics Labs CT
1 Hartford Square, Suite # 230
NEW BRITAIN, CT 06052

(860) 925-5227
https://myanalyticslabs.com/
Lic# ACTL.0000005

Certificate of Analysis

BD-00078

BioTrack Lot ID: 4374 9625 0043 1871

Sample ID: 2504ANSCT0265-1716
Strain:
Ingestible, Soft Chew, BD-00078, , ,

Completed: 04/17/2025
Expiration: 04/17/2026

Client
Soundview
Lic. # ACFB.0000681
159 E Main St
Bristol, CT 06010

Sample Size: 5 units
COC #: 2504ANSCT0265; Number of Servings: 20; Amended: No; Sample Condition: Intact;



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/16/2025	Complete
Water Activity	04/14/2025	0.56 aw - Complete
Microbials	04/14/2025	Pass
Mycotoxins	04/16/2025	Pass
Pesticides	04/16/2025	Pass
Heavy Metals	04/16/2025	Pass

Water Activity Entered By: 012
Instrument ID: WA-1
Water Activity analyzed per SOP-020. NT= Not Tested, NR = Not Reported.

Cannabinoids

Complete

4.999 mg/serving	ND	10.083 mg/serving
Total Active THC	Total Active CBD	Total Active Cannabinoids

Analyte	LOD	LOQ	Result	Result	Qualifiers
	mg/serving	mg/serving	mg/serving	%	
Δ9-THC	0.00103	0.00344	5.00	0.145	
CBN	0.00083	0.00344	4.96	0.144	
CBG	0.00141	0.00344	0.13	0.004	
Total Available THC			**5.00**	**0.145**	
Total Active THC			**5.00**	**0.145**	
Total Available CBD			**ND**	**ND**	
Total Active CBD			**ND**	**ND**	
Total Available Cannabinoids			**10.08**	**0.293**	
Total Active Cannabinoids			**10.08**	**0.293**	

Entered by: 5; Instrument ID: 2; Date Tested: 04/16/2025; 20 servings per container. Serving Weight: 3.44 grams.
Cannabinoids analyzed by SOP-009. LOD= Limit of Detection, LOQ = Limit of Quantitation, ND = Not Detected. Total Available THC = D9-THC + THCA. Total Active THC = D9-THC + (THCA0.877). Total Available CBD = CBD + CBDA. Total Active CBD = CBD +(CBDA0.877). Total Active Cannabinoids = THCA0.877+ d9 THC+ d8 THC+ THCVA0.867+ THCV+ CBDA 0.877 + CBD+ CBDV+ CBDVA 0.867+ CBNA0.876+ CBN + CBGA0.0.878+ CBG + CBCA*0.877+CBC+ CBL+ CBT. Total Available Cannabinoids = sum of all detected cannabinoids.

Ryan Picard
Lab Director
04/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.

Analytics Labs CT
1 Hartford Square, Suite # 230
NEW BRITAIN, CT 06052

(860) 925-5227
https://myanalyticslabs.com/
Lic# ACTL.0000005

BD-00078

BioTrack Lot ID: 4374 9625 0043 1871

Sample ID: 2504ANSCT0265-1716

Strain:
Ingestible, Soft Chew, BD-00078, , ,

Completed: 04/17/2025
Expiration: 04/17/2026

Client
Soundview
Lic. # ACFB.0000681
159 E Main St
Bristol, CT 06010

Sample Size: 5 units
COC #: 2504ANSCT0265; Number of Servings: 20; Amended: No; Sample Condition: Intact;

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Abamectin	0.0270	5.0	300.00	ND	Pass
Acephate	0.0130	5.0	5000.00	ND	Pass
Acequinocyl	0.0100	5.0	4000.00	ND	Pass
Acetamiprid	0.0110	5.0	5000.00	ND	Pass
Aldicarb	0.0130	5.0	100.00	ND	Pass
Azoxystrobin	0.0210	5.0	40000.00	ND	Pass
Bifenazate	0.0270	5.0	5000.00	ND	Pass
Bifenthrin	0.0280	5.0	500.00	ND	Pass
Boscalid	0.0110	5.0	10000.00	ND	Pass
Captan	0.0900	5.0	5000.00	ND	Pass
Carbaryl	0.0110	5.0	500.00	ND	Pass
Carbofuran	0.0130	5.0	100.00	ND	Pass
Chlorantraniliprole	0.0120	5.0	40000.00	ND	Pass
Chlordane	0.0320	5.0	100.00	ND	Pass
Chlorfenapyr	0.0280	5.0	100.00	ND	Pass
Chlorpyrifos	0.0270	5.0	100.00	ND	Pass
Clofentezine	0.0120	5.0	500.00	ND	Pass
Coumaphos	0.0090	5.0	100.00	ND	Pass
Cyfluthrin	0.0170	5.0	1000.00	ND	Pass
Cypermethrin	0.0230	5.0	1000.00	ND	Pass
Daminozide	0.0100	5.0	100.00	ND	Pass
DDVP	0.0120	5.0	100.00	ND	Pass
Diazinon	0.0050	5.0	200.00	ND	Pass
Dimethoate	0.0090	5.0	100.00	ND	Pass
Dimethomorph	0.0140	5.0	20000.00	ND	Pass
Ethoprophos	0.0160	5.0	100.00	ND	Pass
Etofenprox	0.0270	5.0	100.00	ND	Pass
Etoxazole	0.0200	5.0	1500.00	ND	Pass
Fenhexamid	0.0250	5.0	10000.00	ND	Pass
Fenoxycarb	0.0160	5.0	100.00	ND	Pass
Fenpyroximate	0.0290	5.0	2000.00	ND	Pass
Fipronil	0.0190	5.0	100.00	ND	Pass
Flonicamid	0.0130	5.0	2000.00	ND	Pass
Fludioxonil	0.0220	5.0	30000.00	ND	Pass
Hexythiazox	0.0150	5.0	2000.00	ND	Pass
Imazalil	0.0120	5.0	100.00	ND	Pass
Imidacloprid	0.0110	5.0	3000.00	ND	Pass
Kresoxim Methyl	0.0150	5.0	1000.00	ND	Pass
Malathion	0.0180	5.0	5000.00	ND	Pass
Metalaxyl	0.0160	5.0	15000.00	ND	Pass
Methiocarb	0.0180	5.0	100.00	ND	Pass
Methomyl	0.0110	5.0	100.00	ND	Pass
Methyl Parathion	0.0080	5.0	100.00	ND	Pass
Mevinphos	0.0080	5.0	100.00	ND	Pass
Myclobutanil	0.0170	5.0	9000.00	ND	Pass
Naled	0.0110	5.0	500.00	ND	Pass
Oxamyl	0.0110	5.0	200.00	ND	Pass
Paclobutrazol	0.0190	5.0	100.00	ND	Pass
Pentachloronitrobenzene	0.0160	5.0	200.00	ND	Pass
Permethrin	0.0230	5.0	20000.00	ND	Pass
Phosmet	0.0100	5.0	200.00	ND	Pass
Piperonyl Butoxide	0.0200	5.0	8000.00	ND	Pass
Prallethrin	0.0150	5.0	4000.00	ND	Pass
Propiconazole	0.0100	5.0	20000.00	ND	Pass
Pyrethrins	0.0100	5.0	1000.00	ND	Pass
Pyridaben	0.0240	5.0	3000.00	ND	Pass
Spinetoram	0.0190	5.0	3000.00	ND	Pass
Spinosad	0.0150	5.0	3000.00	ND	Pass
Spiromesifen	0.0190	5.0	12000.00	ND	Pass
Spirotetramat	0.0130	5.0	13000.00	ND	Pass
Spiroxamine	0.0110	5.0	100.00	ND	Pass
Tebuconazole	0.0230	5.0	2000.00	ND	Pass
Thiacloprid	0.0120	5.0	100.00	ND	Pass
Thiamethoxam	0.0080	5.0	4500.00	ND	Pass
Trifloxystrobin	0.0230	5.0	30000.00	ND	Pass

Qualifiers: C-01
Entered by: 72
Instrument ID 1: LCMS-1
Instrument ID 2: 0
Date Tested (LC): 04/16/2025
Date Tested (GC):
LOD= Limit of Detection, LOQ = Limit of Quantitation. Pesticides analyzed by SOP-008

Ryan Picard
Lab Director
04/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.

Analytics Labs CT
1 Hartford Square, Suite # 230
NEW BRITAIN, CT 06052
(860) 925-5227
https://myanalyticslabs.com/
Lic# ACTL.0000005

BD-00078

BioTrack Lot ID: 4374 9625 0043 1871
Sample ID: 2504ANSCT0265-1716
Strain:
Ingestible, Soft Chew, BD-00078, , ,

Completed: 04/17/2025
Expiration: 04/17/2026

Client
Soundview
Lic. # ACFB.0000681
159 E Main St
Bristol, CT 06010

Sample Size: 5 units
COC #: 2504ANSCT0265; Number of Servings: 20; Amended: No; Sample Condition: Intact;

Microbials

Pass

Analyte	Limit	Results	Qualifiers	Status
	CFU/g	CFU/g		
Total Viable Aerobic Bacteria	100000	<100		Pass
Total Yeast & Mold	100000	<100		Pass
E. coli	Not Detected in 1g	Not Detected		Pass
Listeria monocytogenes	Not Detected in 1g	Not Detected		Pass
Salmonella	Not Detected in 1g	Not Detected		Pass
Shiga Toxin E. Coli	Not Detected in 1g	Not Detected		Pass

Entered by: 010
Instrument ID: PCR-1
Date Tested: 04/14/2025
Plating of Total Aerobic bacteria, Bile-Tolerant Gram-negative bacteria, total Coliforms, and total yeast & mold are analyzed by SOP-006. Shiga Toxin-Producing Escherichia coli and Salmonella spp. are analyzed by SOP-019. Viruses analyzed by SOP-016, are non-compliant, and NOT ISO accredited. NR = Not Reported, NT = Not Tested, TNTC = Too Numerous To Count.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Qualifiers	Status
	ug/kg	ug/kg	ug/kg	ug/kg		
B1	0.0	1.0	20.0	ND		Pass
B2	0.0	1.0	20.0	ND		Pass
G1	0.0	1.0	20.0	ND		Pass
G2	0.0	1.0	20.0	ND		Pass
Ochratoxin A	0.0	1.0	20.0	ND		Pass

Qualifiers: C-01
Entered by: 72
Instrument ID: LCMS-1
Date Tested: 04/14/2025
LOD= Limit of Detection, LOQ = Limit of Quantitation. Mycotoxins analyzed by SOP-013.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Qualifiers	Status
	ug/kg	ug/kg	ug/kg	ug/kg		
Arsenic	0.236	0.500	500.000	ND		Pass
Cadmium	0.115	0.500	1500.000	ND		Pass
Chromium	0.216	1.000	2000.000	ND		Pass
Lead	0.088	1.000	3000.000	ND		Pass
Mercury	0.188	0.250	500.000	ND		Pass

Qualifiers: MS-03
Entered by: 3
Instrument ID: ICPMS-1
Date Tested: 04/14/2025
LOD = Limit of Detection. LOQ = Limit of Quantitation. Heavy Metals analyzed by SOP-005

Ryan Picard
Lab Director
04/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.