

Lucky Break Cannabis
380 Mountain Grove Street
Bridgeport, CT 06605

Date Received: 5/9/2025
Report Date: 5/15/2025
NELabs Report ID: 2597197-01

Watermelon Marg Lucky Chews 23.2mg 0010

Biotrack ID: Watermelon Marg 6 pack 20mg Gummy Bulk

7032 1550 2850 2720

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	<LOQ	<LOQ
CBDA		
CBGA	<LOQ	<LOQ
CBG	0.012	3.0
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	0.010	2.4
Δ^9 THC	0.531	139.2
Δ^8 THC		
CBL		
THCA	0.013	3.6
CBC	<LOQ	<LOQ
Total Cannabinoids	0.566	148.2
Total THC % $(0.877 \times \text{THCA}) + \text{THC}$	0.542	

By GC - MS

Terpenes	Results (% w/w)
α -Pinene	
Camphene	
β -Myrcene	
β -Pinene	
δ -3-Carene	
Limonene	
p-Cymene	
α -Terpinolene	
Linalool	
Caryophyllene	
α -Humulene	
α -Bisabolol	
Terpinene (total)	
Ocimene (total)	
Nerolidol (total)	
Total Terpenes	Below Detection

Moisture

Results
Water Content (% w/w)
Water Activity (Aw)

Results

n/a

0.60

Edible Dosing

Results
Average weight
THC (mg)

4.3686

23.2



Lucky Break Cannabis
380 Mountain Grove Street
Bridgeport, CT 06605

Date Received: 5/9/2025
Report Date: 5/15/2025
NELabs Report ID: 2597197-01

Watermelon Marg Lucky Chews 23.2mg 0010

Biotrack ID: Watermelon Marg 6 pack 20mg Gummy Bulk

7032 1550 2850 2720

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Alcohol (Ethanol)	Below Action Limits	5000 ppm	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 5/9/2025

DATE	Reviewed by	Released by
5/15/2025	 Garrett Johnson, QA/QC	 Zackary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

