

Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 5/15/2025
Report Date: 5/21/2025
NELabs Report ID: 2597288-02

Savoti Oral Solution 4995

Biotrack ID: Savoti Oral Solution 4995

8627 5779 9611 4802

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	N/A	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC		Dosing (mg)	
	Results (% w/w)	(per serving)	(per package)	
CBDV				
CBDA	0.27	2.5	75.0	
CBGA				
CBG	<LOQ	<LOQ	<LOQ	
CBD	<LOQ	<LOQ	<LOQ	
THCV	<LOQ	<LOQ	<LOQ	
CBN	<LOQ	<LOQ	<LOQ	
Δ^9 THC	2.74	25.8	774.0	
Δ^8 THC				
CBL	<LOQ	<LOQ	<LOQ	
THCA				
CBC				
Total Cannabinoids	3.01	25.8	849.0	
Total THC % (0.877*THCA)+THC	2.74			

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	
Camphene	
β -Myrcene	
β -Pinene	
δ -3-Carene	
Limonene	
p-Cymene	
α -Terpinolene	
Linalool	
Caryophyllene	
α -Humulene	
α -Bisabolol	
Terpinene (total)	
Ocimene (total)	
Nerolidol (total)	
Total Terpenes	Below Detection

Density (g/cm ³)	Results
Sample	0.9487



Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 5/15/2025
Report Date: 5/21/2025
NELabs Report ID: 2597288-02

Savoti Oral Solution 4995

Biotrack ID: Savoti Oral Solution 4995

8627 5779 9611 4802

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 5/15/2025

DATE	Reviewed by	Released by
5/21/2025		
	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

