

Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 5/22/2025
Report Date: 5/29/2025
NELabs Report ID: 2597382-06

High Strength Pagoti Capsule 41014

Biotrack ID: High Strength Pagoti Capsule 41014

5292 0822 5774 4223

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	N/A	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC		Dosing (mg)	
	Results (% w/w)	(per serving)	(per package)	
CBDV				
CBDA				
CBGA				
CBG	0.59	2.5	25.0	
CBD	<LOQ	<LOQ	<LOQ	
THCV	0.13	0.5	5.0	
CBN	0.33	1.4	14.0	
Δ^9 THC	19.73	82.7	827.0	
Δ^8 THC				
CBL	0.63	2.6	26.0	
THCA				
CBC				
Total Cannabinoids	21.41	89.7	897.0	
Total THC % (0.877*THCA)+THC	19.73			

Terpenes	By GC - MS	
	Results (% w/w)	
α -Pinene		
Camphene		
β -Myrcene		
β -Pinene		
δ -3-Carene		
Limonene		
p-Cymene		
α -Terpinolene		
Linalool		
Caryophyllene		
α -Humulene		
α -Bisabolol		
Terpinene (total)		
Ocimene (total)		
Nerolidol (total)		
Total Terpenes	Below Detection	

Average Wt.	Results
Average wt. (per capsule)	0.4193
Average wt. (10 capsules)	4.193



Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 5/22/2025
Report Date: 5/29/2025
NELabs Report ID: 2597382-06

High Strength Pagoti Capsule 41014

Biotrack ID: High Strength Pagoti Capsule 41014

5292 0822 5774 4223

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 5/22/2025

DATE	Reviewed by	Released by
5/29/2025		
	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

