



FAMILY CHILD CARE HOME SUPPLEMENTAL INSPECTION

Provider	MAYREN CABRERA TAPIA				License Number	DCFH	Date of Inspection	06/09/2025
					Expiration Date		Time of Inspection	02:09 PM
Address	407 FARMINGTON AVE NEW BRITAIN CT 06053-1967				Telephone	(860) 770-1757	Regular Capacity	6
					Hours of Operation	6:00 AM 5:00 PM	School Age Capacity	3
Is this a Change of Address?	Yes?		No?	X	Days of Operation	Mon-Fri	Summer Hours	Open
New Address					# Under 18 mths present	0	Weekend Hours	No
					Total children present	0	Night Hours	No
Type of Inspection	Follow-Up for Violations Cited During Initial Inspection				Inspector's Name	Melina Perez		
Provider's Email	mayrennelson@hotmail.com				Inspector's Email	melina.perez@ct.gov		

CONSENT TO INSPECT: I agree to allow the Commissioner or an authorized representative to have access to and inspect the facility and child care records during home inspections as required by Regulations Section 19a-87b-5(h).

Signature of Provider/Applicant/Substitute/Emergency Caregiver

REGULATORY VIOLATIONS

Statute and/or Regulation: [-]	Description: 000 No Violations
No violations were cited during this inspection	
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:

Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
Statute and/or Regulation:	Description:
OTHER FINDINGS-REGULATIONS IN COMPLIANCE	
Statute and/or Regulation: [19a-87b-10(a)]	Description: 004-Capacity
Statute and/or Regulation: [19a-87b-5(e)]	Description: 006-Infant/Toddler Restriction

Statute and/or Regulation: [19a-87b-9(d)(5)]	Description: 032-Emergency Plan
--	---------------------------------

Statute and/or Regulation: [19a-87b-9(h)]	Description: 046-Water Temperature
---	------------------------------------

Statute and/or Regulation: [19a-87b-9(m) and/or 19a-87b-9(n)]	Description: 050-First Aid Supplies
---	-------------------------------------

Statute and/or Regulation: [19a-87b-10(c)(4)]	Description: 066-Flexible and Balanced Schedule
---	---



YES/NO: No	WERE VIOLATIONS CITED DURING THIS VISIT?
------------	--

DISCUSSIONS/COMMENTS

The following was observed during today's follow-up visit:
 # 32 - The emergency plan was observed to have been completed.
 # 46 - The water temperature was observed to have been lowered; water now measures 120 degrees Fahrenheit.
 # 50 - The first aid kit was observed to be completed; applicant has purchased a CPR mouth barrier and multiple instant cold packs.
 # 66 - The applicant's flexible and written schedule was observed to have been completed.
 ***Applicant was observed to be in compliance during today's follow-up visit.
 **A copy of the diagram regarding the approval of the 2nd means of egress in the basement where care will be provided was also left for the applicant and she was advised to keep a copy of it with her inspections.

IMPORTANT NOTES

- It is the provider's responsibility to ensure compliance with all local codes and/or ordinances applicable to single and multi-family dwellings. This includes but is not limited to renovation, construction or expansion of the facility as well as the installation of a swimming pool or auxiliary heater.
- Items left blank on this form were not monitored during this visit. Only the regulations marked as compliant or non-compliant were monitored or discussed. Providers are required by statutes and regulations to be in compliance at all times.
- **APPLICANTS –You MAY NOT OPERATE until all requirements have been met and a license has been issued by the Agency.**

 (Signature of OEC Representative)	 (Signature of OEC Representative)	DATE CORRECTIONS DUE BY:	 (Signature of Provider/Substitute/Applicant)
Melina Perez (Printed Name)	 (Printed Name)		MAYREN CABRERA TAPIA (Printed Name)