

Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 6/4/2025
Report Date: 6/10/2025
NELabs Report ID: 2597520-05

250508D-NY-E1

Biotrack ID: NYC Diesel Elite-1.0g

6966 7276 0447 3297

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV		
CBDA		
CBGA		
CBG	3.18	31.8
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
Δ^9 THC	85.75	857.5
Δ^8 THC		
CBL		
THCA		
CBC	1.29	12.9
Total Cannabinoids	90.22	902.2
Total THC % (0.877*THCA)+THC	85.75	

By GC - MS

Terpenes	Results (% w/w)
α -Pinene	0.38
Camphene	0.05
β -Myrcene	0.93
β -Pinene	0.30
δ -3-Carene	
Limonene	1.32
p-Cymene	
α -Terpinolene	0.28
Linalool	0.23
Caryophyllene	1.04
α -Humulene	0.50
α -Bisabolol	
Terpinene (total)	0.06
Ocimene (total)	0.92
Nerolidol (total)	
Total Terpenes	6.01



Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 6/4/2025
Report Date: 6/10/2025
NELabs Report ID: 2597520-05

250508D-NY-E1

Biotrack ID: NYC Diesel Elite-1.0g

6966 7276 0447 3297

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 6/4/2025

DATE	Reviewed by	Released by
6/10/2025	 Garrett Johnson, QA/QC	 Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

