

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 6/12/2025
Report Date: 6/18/2025
NELabs Report ID: 2597643-01

MTB011025-1g

Biotrack ID: SAVVY CHEM VALLEY KUSH 1G PRE-ROLL

9359 3366 6305 4957

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<LOQ
CBGA	0.29	2.6
CBG	<LOQ	<LOQ
CBD		
THCV		
CBN		
Δ^9 THC	1.59	14.2
Δ^8 THC		
CBL		
THCA	25.66	229.1
CBC		
Total Cannabinoids	27.54	245.9
Total THC % (0.877*THCA)+THC	24.09	

Terpenes	Results (% w/w)*
α -Pinene	0.02
Camphene	0.01
β -Myrcene	0.06
β -Pinene	0.01
δ -3-Carene	
Limonene	0.13
p-Cymene	
α -Terpinolene	0.01
Linalool	0.12
Caryophyllene	0.47
α -Humulene	0.21
α -Bisabolol	
Terpinene (total)	
Ocimene (total)	0.01
Nerolidol (total)	0.12
Total Terpenes	1.17

* % by dry weight

Moisture

Results

Water Content (% w/w)	10.7
Water Activity (Aw)	0.49



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 6/12/2025
Report Date: 6/18/2025
NELabs Report ID: 2597643-01

MTB011025-1g

Biotrack ID: SAVVY CHEM VALLEY KUSH 1G PRE-ROLL

9359 3366 6305 4957

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 6/12/2025

DATE	Reviewed by	Released by
6/18/2025		
	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

