

Theraplant LLC
856 Echo Lake Rd
Watertown, CT 06795

Date Received: 7/9/2025
Report Date: 7/15/2025
NELabs Report ID: 2598001-09

3:1 Oral Solution 41130

Biotrack ID: 3:1 Oral Solution 41130

4574 8597 8977 6828

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	N/A	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

Cannabinoids	By HPLC	Dosing (mg)	
	Results (% w/w)	(per serving)	(per package)
CBDV	<LOQ	<LOQ	<LOQ
CBDA			
CBGA			
CBG	<LOQ	<LOQ	<LOQ
CBD	3.31	31.0	930.0
THCV			
CBN			
Δ ⁹ THC	1.15	10.8	324.0
Δ ⁸ THC			
CBL			
THCA			
CBC			
Total Cannabinoids	4.46	1254.0	
Total THC % (0.877*THCA)+THC	1.15		

Terpenes	By GC - MS
	Results (% w/w)
α -Pinene	
Camphene	
β -Myrcene	
β -Pinene	
δ -3-Carene	
Limonene	
p-Cymene	
α -Terpinolene	
Linalool	
Caryophyllene	
α -Humulene	
α -Bisabolol	
Terpinene (total)	
Ocimene (total)	
Nerolidol (total)	
Total Terpenes	Below Detection

Density (g/cm ³)	Results
Sample	0.9375



Theraplant LLC
856 Echo Lake Rd
Watertown, CT 06795

Date Received: 7/9/2025
Report Date: 7/15/2025
NELabs Report ID: 2598001-09

3:1 Oral Solution 41130

Biotrack ID: 3:1 Oral Solution 41130

4574 8597 8977 6828

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/9/2025

DATE	Reviewed by	Released by
7/15/2025		
	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

