NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Nutmeg New Britain
1 Hartford Sq 16s
New Britain, CT 06052

Date Received: 7/23/2025
Report Date: 7/29/2025
NELabs Report ID: 2598162-02

25-6-F2H3-CH4LB

Biotrack ID: Chem 4 Lil' Budz 7g (H) 00320 0310 0202 9387 2560

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<LOQ
CBGA	0.61	37.6
CBG	<LOQ	<LOQ
CBD		
THCV		
CBN		
Δ^9 THC	0.75	46.2
Δ^8 THC		
CBL		
THCA	19.72	1214.8
CBC		
Total Cannabinoids	**21.08**	**1298.6**
Total THC % $_{(0.877*THCA)+THC}$	**18.04**	

By GC - MS

Terpenes	Results (% w/w)*
α-Pinene	0.02
Camphene	0.01
β-Myrcene	0.55
β-Pinene	0.03
δ-3-Carene	
Limonene	0.23
p-Cymene	
α-Terpinolene	
Linalool	0.03
Caryophyllene	0.90
α-Humulene	0.29
α-Bisabolol	
Terpinene (total)	
Ocimene (total)	0.02
Nerolidol (total)	0.05
Total Terpenes	**2.13**

* % by dry weight

Moisture	Results
Water Content (% w/w)	12.0
Water Activity (Aw)	0.53

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Nutmeg New Britain
1 Hartford Sq 16s
New Britain, CT 06052

Date Received: 7/23/2025
Report Date: 7/29/2025
NELabs Report ID: 2598162-02

25-6-F2H3-CH4LB

Biotrack ID: Chem 4 Lil' Budz 7g (H) 00320 0310 0202 9387 2560

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/23/2025

DATE	Reviewed by	Released by
7/29/2025	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.