NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 7/29/2025
Report Date: 8/4/2025
NELabs Report ID: 2598238-09

GVJ121924-SHRT

Biotrack ID: FULL TANK SHORTIES 5517 0707 2491 9955

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<LOQ
CBGA	0.52	9.0
CBG	0.22	4.0
CBD		
THCV		
CBN		
Δ^9 THC	1.80	31.5
Δ^8 THC		
CBL		
THCA	25.45	448.5
CBC		
Total Cannabinoids	**27.99**	**493.0**
Total THC % $_{(0.877*THCA)+THC}$	**24.12**	

By GC - MS

Terpenes	Results (% w/w)*
α-Pinene	0.01
Camphene	
β-Myrcene	0.06
β-Pinene	
δ-3-Carene	
Limonene	0.05
p-Cymene	
α-Terpinolene	0.01
Linalool	0.23
Caryophyllene	0.59
α-Humulene	0.19
α-Bisabolol	
Terpinene (total)	
Ocimene (total)	0.02
Nerolidol (total)	0.09
Total Terpenes	**1.25**

* % by dry weight

Moisture	Results
Water Content (% w/w)	11.9
Water Activity (Aw)	0.57

ISO/IEC 17025:2017 Accredited
PJLA

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

CTPharma
280 Dividend Rd.
Rocky Hill, CT 06067

Date Received: 7/29/2025
Report Date: 8/4/2025
NELabs Report ID: 2598238-09

GVJ121924-SHRT

Biotrack ID: FULL TANK SHORTIES 5517 0707 2491 9955

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/29/2025

DATE	Reviewed by	Released by
8/4/2025	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA