NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 7/30/2025
Report Date: 8/6/2025
NELabs Report ID: 2598261-02

Gas Face 41155

Biotrack ID: Gas Face 41155 2447 5244 1612 5897

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	4,400	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	300	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)*	Dosing (mg/package)
CBDV		
CBDA	<LOQ	<LOQ
CBGA	0.43	12.9
CBG	<LOQ	<LOQ
CBD		
THCV		
CBN		
Δ^9 THC	0.71	21.4
Δ^8 THC		
CBL		
THCA	23.21	698.6
CBC		
Total Cannabinoids	**24.35**	**732.9**
Total THC % (0.877*THCA)+THC	**21.07**	

By GC - MS

Terpenes	Results (% w/w)*
α-Pinene	0.05
Camphene	0.01
β-Myrcene	0.17
β-Pinene	0.06
δ-3-Carene	
Limonene	0.37
p-Cymene	
α-Terpinolene	
Linalool	0.09
Caryophyllene	0.34
α-Humulene	0.09
α-Bisabolol	
Terpinene (total)	
Ocimene (total)	0.04
Nerolidol (total)	0.02
Total Terpenes	**1.24**

* % by dry weight

Moisture	Results
Water Content (% w/w)	14.0
Water Activity (Aw)	0.59

ISO/IEC 17025:2017 Accredited
PJLA

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Theraplant LLC
856 Echo Lake Rd.
Watertown, CT 06795

Date Received: 7/30/2025
Report Date: 8/6/2025
NELabs Report ID: 2598261-02

Gas Face 41155

Biotrack ID: Gas Face 41155 — 2447 5244 1612 5897

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 7/30/2025

DATE	Reviewed by	Released by
8/6/2025	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA