NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 8/6/2025
Report Date: 8/12/2025
NELabs Report ID: 2598350-01

TDVape-080525

Biotrack ID: Tangerine Dream Vape 0.5g 3381 5320 2342 8564

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
Aspergillus (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic *E. coli*	Not Detected	Not Detected	AOAC 2017.01
Listeria Monocytogenes	Not Detected	Not Detected	AOAC 2016.08
Salmonella species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing *E. coli*	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV		
CBDA		
CBGA		
CBG	2.26	11.3
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	1.20	6.0
Δ^9 THC	86.26	431.3
Δ^8 THC		
CBL		
THCA		
CBC	0.92	4.6
Total Cannabinoids	**90.64**	**453.2**
Total THC % (0.877*THCA)+THC	**86.26**	

By GC - MS

Terpenes	Results (% w/w)
α-Pinene	1.38
Camphene	0.04
β-Myrcene	1.48
β-Pinene	0.50
δ-3-Carene	
Limonene	0.94
p-Cymene	
α-Terpinolene	0.21
Linalool	0.23
Caryophyllene	0.77
α-Humulene	0.22
α-Bisabolol	
Terpinene (total)	0.01
Ocimene (total)	0.81
Nerolidol (total)	0.02
Total Terpenes	**6.61**

NORTHEAST LABORATORIES INC.

CERTIFICATE OF ANALYSIS

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 8/6/2025
Report Date: 8/12/2025
NELabs Report ID: 2598350-01

TDVape-080525

Biotrack ID: Tangerine Dream Vape 0.5g 3381 5320 2342 8564

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 8/6/2025

DATE	Reviewed by	Released by
8/12/2025	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

ISO/IEC 17025:2017 Accredited
PJLA