

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 8/14/2025
Report Date: 8/20/2025
NELabs Report ID: 2598460-01

RSO 1:1 SDD080425

Biotrack ID: RSO 1:1 Sunshine Daydream Syringe 1.0g

4317 4209 7210 5053

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	1.42	14.2
CBD	26.02	260.2
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
Δ^9 THC	27.32	273.2
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	1.23	12.3
Total Cannabinoids	55.99	559.9
Total THC % (0.877*THCA)+THC	27.32	

Terpenes	Results (% w/w)
α -Pinene	0.03
Camphene	-
β -Myrcene	0.34
β -Pinene	0.04
δ -3-Carene	-
Limonene	0.39
p-Cymene	-
α -Terpinolene	-
Linalool	0.06
Caryophyllene	0.08
α -Humulene	0.03
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	0.03
Nerolidol (total)	-
Total Terpenes	1.00



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 8/14/2025
Report Date: 8/20/2025
NELabs Report ID: 2598460-01

RSO 1:1 SDD080425

Biotrack ID: RSO 1:1 Sunshine Daydream Syringe 1.0g

4317 4209 7210 5053

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 8/14/2025

DATE	Reviewed by	Released by
8/20/2025	 Garrett Johnson, QA/QC	 Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

