

Mango-00128

BioTrack Lot ID: 8816 8751 8019 3253

Sample ID: 2508ANSCT0648-3712 Completed: 08/28/2025

Strain: Expiration: 08/28/2026

Ingestible, Soft Chew, Mango-00128,,

Client

Soundview

Lic. # ACFB.0000681

159 E Main St

Bristol, CT 06010

Sample Size: 4 units

COC #: 2508ANSCT0648; Number of Servings: 20; Amended: No; Sample Condition: Intact;



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/26/2025	Complete
Water Activity	08/25/2025	0.63 aw - Complete
Residual Solvents	08/26/2025	Pass
Microbials	08/22/2025	Pass
Mycotoxins	08/22/2025	Pass
Pesticides	08/22/2025	Pass
Heavy Metals	08/27/2025	Pass

Water Activity Entered By: 012

Instrument ID: WA-1

Water Activity analyzed per SOP-020. NT= Not Tested, NR = Not Reported.

Cannabinoids

Complete

4.666 mg/serving

Total Active THC

4.849 mg/serving

Total Active CBD

14.478 mg/serving

Total Active Cannabinoids

Analyte	LOD mg/serving	LOQ mg/serving	Result mg/serving	Result %	Qualifiers
Δ9-THC	0.00113	0.00376	4.67	0.124	
CBD	0.00056	0.00376	4.85	0.129	
CBN	0.00090	0.00376	4.77	0.127	
CBG	0.00154	0.00376	0.20	0.005	
Total Available THC			4.67	0.124	
Total Active THC			4.67	0.124	
Total Available CBD			4.85	0.129	
Total Active CBD			4.85	0.129	
Total Available Cannabinoids			14.48	0.385	
Total Active Cannabinoids			14.48	0.385	

Entered by: 001; Instrument ID: 2; Date Tested: 08/26/2025; 20 servings per container. Serving Weight: 3.76 grams.

Cannabinoids analyzed by SOP-009. LOD= Limit of Detection, LOQ = Limit of Quantitation, ND = Not Detected. Total Available THC = Δ9-THC + THCA. Total Active THC = Δ9-THC + (THCA0.877). Total Available CBD = CBD + CBDA. Total Active CBD = CBD + (CBDA0.877). Total Active Cannabinoids = THCA0.877+ Δ9 THC+ d8 THC+ THCA0.867+ THCV+ CBDA 0.877 + CBD+ CBDV+ CBDVA 0.867+ CBNA0.876+ CBN + CBGA0.0.878+ CBG + CBGA*0.877+CBC+ CBL+ CBT. Total Available Cannabinoids = sum of all detected cannabinoids. Calculated percentage by dry weight



Ryan Picard

Ryan Picard
Lab Director
08/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.

Mango-00128

BioTrack Lot ID: 8816 8751 8019 3253

Sample ID: 2508ANSCT0648-3712 Completed: 08/28/2025

Strain: Expiration: 08/28/2026

Ingestible, Soft Chew, Mango-00128,,

Client

Soundview

Lic. # ACFB.0000681

159 E Main St

Bristol, CT 06010

Sample Size: 4 units

COC #: 2508ANSCT0648; Number of Servings: 20; Amended: No; Sample Condition: Intact;

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB			PPB	PPB	PPB	PPB	
Abamectin	0.0270	5.0	300.00	ND	Pass	Fludioxonil	0.0220	5.0	3000.00	ND	Pass
Acephate	0.0130	5.0	5000.00	ND	Pass	Hexythiazox	0.0150	5.0	2000.00	ND	Pass
Acequinocyl	0.0100	5.0	4000.00	ND	Pass	Imazalil	0.0120	5.0	100.00	ND	Pass
Acetamiprid	0.0110	5.0	5000.00	ND	Pass	Imidacloprid	0.0110	5.0	3000.00	ND	Pass
Aldicarb	0.0130	5.0	100.00	ND	Pass	Kresoxim Methyl	0.0150	5.0	1000.00	ND	Pass
Azoxystrobin	0.0210	5.0	40000.00	ND	Pass	Malathion	0.0180	5.0	5000.00	ND	Pass
Bifenazate	0.0270	5.0	5000.00	ND	Pass	Metalaxyl	0.0160	5.0	15000.00	ND	Pass
Bifenthrin	0.0280	5.0	500.00	ND	Pass	Methiocarb	0.0180	5.0	100.00	ND	Pass
Boscalid	0.0110	5.0	10000.00	ND	Pass	Methomyl	0.0110	5.0	100.00	ND	Pass
Captan	0.0900	5.0	5000.00	ND	Pass	Methyl Parathion	0.0080	5.0	100.00	ND	Pass
Carbaryl	0.0110	5.0	500.00	ND	Pass	Mevinphos	0.0080	5.0	100.00	ND	Pass
Carbofuran	0.0130	5.0	100.00	ND	Pass	Myclobutanil	0.0170	5.0	9000.00	ND	Pass
Chlorantraniliprole	0.0120	5.0	40000.00	ND	Pass	Naled	0.0110	5.0	500.00	ND	Pass
Chlordane	0.0320	5.0	100.00	ND	Pass	Oxamyl	0.0110	5.0	200.00	ND	Pass
Chlorfenapyr	0.0280	5.0	100.00	ND	Pass	Paclobutrazol	0.0190	5.0	100.00	ND	Pass
Chlorpyrifos	0.0270	5.0	100.00	ND	Pass	Pentachloronitrobenzene	0.0160	5.0	200.00	ND	Pass
Clofentezine	0.0120	5.0	500.00	ND	Pass	Permethrin	0.0230	5.0	20000.00	ND	Pass
Coumaphos	0.0090	5.0	100.00	ND	Pass	Phosmet	0.0100	5.0	200.00	ND	Pass
Cyfluthrin	0.0170	5.0	1000.00	ND	Pass	Piperonyl Butoxide	0.0200	5.0	8000.00	ND	Pass
Cypermethrin	0.0230	5.0	1000.00	ND	Pass	Prallethrin	0.0150	5.0	4000.00	ND	Pass
Daminozide	0.0100	5.0	100.00	ND	Pass	Propiconazole	0.0100	5.0	20000.00	ND	Pass
DDVP	0.0120	5.0	100.00	ND	Pass	Pyrethrins	0.0100	5.0	1000.00	ND	Pass
Diazinon	0.0050	5.0	200.00	ND	Pass	Pyridaben	0.0240	5.0	3000.00	ND	Pass
Dimethoate	0.0090	5.0	100.00	ND	Pass	Spinetoram	0.0190	5.0	3000.00	ND	Pass
Dimethomorph	0.0140	5.0	20000.00	ND	Pass	Spinosad	0.0150	5.0	3000.00	ND	Pass
Ethoprophos	0.0160	5.0	100.00	ND	Pass	Spiromesifen	0.0190	5.0	12000.00	ND	Pass
Etofenprox	0.0270	5.0	100.00	ND	Pass	Spirotetramat	0.0130	5.0	13000.00	ND	Pass
Etoxazole	0.0200	5.0	1500.00	ND	Pass	Spiroxamine	0.0110	5.0	100.00	ND	Pass
Fenhexamid	0.0250	5.0	10000.00	ND	Pass	Tebuconazole	0.0230	5.0	2000.00	ND	Pass
Fenoxycarb	0.0160	5.0	100.00	ND	Pass	Thiacloprid	0.0120	5.0	100.00	ND	Pass
Fenpyroximate	0.0290	5.0	2000.00	ND	Pass	Thiamethoxam	0.0080	5.0	4500.00	ND	Pass
Fipronil	0.0190	5.0	100.00	ND	Pass	Trifloxystrobin	0.0230	5.0	30000.00	ND	Pass
Flonicamid	0.0130	5.0	2000.00	ND	Pass						

Qualifiers: C-01

Entered by: 013

Instrument ID 1: LCMS-1

Instrument ID 2: 0

Date Tested (LC): 08/22/2025

Date Tested (GC):

LOD= Limit of Detection, LOQ = Limit of Quantitation. Pesticides analyzed by SOP-008




Ryan Picard
Lab Director
08/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.

Mango-00128

BioTrack Lot ID: 8816 8751 8019 3253

Sample ID: 2508ANSCT0648-3712 Completed: 08/28/2025

Strain: Expiration: 08/28/2026

Ingestible, Soft Chew, Mango-00128,,

Client

Soundview

Lic. # ACFB.0000681

159 E Main St

Bristol, CT 06010

Sample Size: 4 units

COC #: 2508ANSCT0648; Number of Servings: 20; Amended: No; Sample Condition: Intact;

Microbials

Pass

Analyte	Limit	Results	Qualifiers	Status
	CFU/g	CFU/g		
Total Viable Aerobic Bacteria	100000	<100		Pass
Total Yeast & Mold	100000	<100		Pass
E. coli	Not Detected in 1g	Not Detected		Pass
Listeria monocytogenes	Not Detected in 1g	Not Detected		Pass
Salmonella	Not Detected in 1g	Not Detected		Pass
Shiga Toxin E. Coli	Not Detected in 1g	Not Detected		Pass

Entered by: 008/009

Instrument ID: PCR-1

Date Tested: 08/22/2025

Plating of Total Aerobic bacteria, Bile-Tolerant Gram-negative bacteria, total Coliforms, and total yeast & mold are analyzed by SOP-006. Shiga Toxin-Producing Escherichia coli and Salmonella spp. are analyzed by SOP-019. Viruses analyzed by SOP-016, are non-compliant, and NOT ISO accredited. NR = Not Reported, NT = Not Tested, TNTC = Too Numerous To Count.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Qualifiers	Status
	ug/kg	ug/kg	ug/kg	ug/kg		
B1	0.0	1.0	20.0	ND		Pass
B2	0.0	1.0	20.0	ND		Pass
G1	0.0	1.0	20.0	ND		Pass
G2	0.0	1.0	20.0	ND		Pass
Ochratoxin A	0.0	1.0	20.0	ND		Pass

Qualifiers: C-01

Entered by: 013

Instrument ID: LCMS-1

Date Tested: 08/22/2025

LOD= Limit of Detection, LOQ = Limit of Quantitation. Mycotoxins analyzed by SOP-013.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Qualifiers	Status
	ug/kg	ug/kg	ug/kg	ug/kg		
Arsenic	0.236	0.500	500.000	ND		Pass
Cadmium	0.115	0.500	1500.000	ND		Pass
Chromium	0.216	1.000	2000.000	ND		Pass
Lead	0.088	1.000	3000.000	ND		Pass
Mercury	0.188	0.250	500.000	ND		Pass

Entered by: 015

Instrument ID: ICPMS-1

Date Tested: 08/22/2025

LOD = Limit of Detection, LOQ = Limit of Quantitation. Heavy Metals analyzed by SOP-005



Ryan Picard
Lab Director
08/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Mango-00128

BioTrack Lot ID: 8816 8751 8019 3253

Sample ID: 2508ANSCT0648-3712 Completed: 08/28/2025

Strain: Expiration: 08/28/2026

Ingestible, Soft Chew, Mango-00128,,

Client

Soundview

Lic. # ACFB.0000681

159 E Main St

Bristol, CT 06010

Sample Size: 4 units

COC #: 2508ANSCT0648; Number of Servings: 20; Amended: No; Sample Condition: Intact;

Residual Solvents

Pass

Analyte	LOQ PPM	Limit PPM	Results PPM	Status	Qualifiers
Ethanol	100.000	5000.000	282.491	Pass	
Ethyl-Ether	100.000	1000.000	345.204	Pass	

Entered by: 72

Instrument ID: GC-1

Date Tested: 08/26/2025

LOQ = Limit of Quantitation. Residual Solvents analyzed by SOP-011




Ryan Picard
Lab Director
08/28/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



The sampling was performed by Analytics Labs CT LLC, in accordance with established sampling protocols. Samples were received intact and underwent testing following all appropriate chain of custody and sample control protocols. All pass limits are as specified in the most recent version of Chapter 420f Sec. 21a 408-414, Chapter 420h Sec. 21a 420-429 and 21a 421j-(1-40). This product has been tested by Analytics Labs using internally validated testing methodologies and a quality management system. Uncertainty and test condition information is available upon request. Decision Rule (measurement of uncertainty) is not used to determine Pass/Fail. Analytics Labs makes no claim as to the efficacy, safety, or other risk associated with any detected, or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written consent of Analytics Labs CT.