

Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089

Date Received: 8/27/2025
Report Date: 9/3/2025
NELabs Report ID: 2598617-04

250715G-JFA-2-RBB-001

Biotrack ID: JAMS Fast Acting Remix Blackberry (I)

8792 3730 1074 6460

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	400	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	0.004	4.0
CBD	0.095	96.0
THCV	<LOQ	<LOQ
CBN	0.092	94.0
Δ^9 THC	0.091	92.0
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	0.282	286.0
Total THC % $(0.877 \cdot \text{THCA}) + \text{THC}$	0.091	

Terpenes	Results (% w/w)
α -Pinene	-
Camphene	-
β -Myrcene	-
β -Pinene	-
δ -3-Carene	-
Limonene	-
p-Cymene	-
α -Terpinolene	-
Linalool	-
Caryophyllene	-
α -Humulene	-
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	Below Detection

Moisture

Results

Water Content (% w/w)	--
Water Activity (Aw)	0.66

Edible Dosing

Results

Average weight	5.0774
THC (mg)	4.6
CBD (mg)	4.8
CBN (mg)	4.7



Curaleaf LLC
34 Hopmeadow St.
Weatogue, CT 06089


Date Received: 8/27/2025
Report Date: 9/3/2025
NELabs Report ID: 2598617-04

250715G-JFA-2-RBB-001

Biotrack ID: JAMS Fast Acting Remix Blackberry (I) 8792 3730 1074 6460

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		
Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		
Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 8/27/2025

DATE	Reviewed by	Released by
9/3/2025		
	Garrett Johnson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

