

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 9/24/2025
Report Date: 9/29/2025
NELabs Report ID: 2599026-01

GUM0072-ACD

Biotrack ID: Apple Cider Donut Gummies

3193 5181 6341 4912

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	0.006	1.4
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	0.004	0.7
Δ^9 THC	0.183	32.9
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	0.002	0.7
Total Cannabinoids	0.195	35.7
Total THC % (0.877*THCA)+THC	0.183	

By GC - MS

Terpenes	Results (% w/w)
α -Pinene	-
Camphene	-
β -Myrcene	-
β -Pinene	-
δ -3-Carene	-
Limonene	-
p-Cymene	-
α -Terpinolene	-
Linalool	-
Caryophyllene	-
α -Humulene	-
α -Bisabolol	-
Terpinene (total)	-
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	Below Detection

Moisture

Parameters	Results
Water Content (% w/w)	--
Water Activity (Aw)	0.72

Edible Dosing

Results	
Average weight	2.5783
THC (mg)	4.7



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 9/24/2025
Report Date: 9/29/2025
NELabs Report ID: 2599026-01

GUM0072-ACD

Biotrack ID: Apple Cider Donut Gummies 3193 5181 6341 4912

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 9/24/2025

DATE 9/29/2025	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
--------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISO/ILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.

