

Lucky Break
380 Mountain Grove St.
Bridgeport, CT 06605

Date Received: 9/26/2025
Report Date: 10/2/2025
NELabs Report ID: 2599058-01

Peppermint Lucky Spritz 0026

Biotrack ID: Peppermint Lucky Spritz 0026

8035 4561 9436 2876

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	n/a	n/a	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	0.16	15.1
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	<LOQ	<LOQ
Δ^9 THC	0.85	80.0
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	1.01	95.1
Total THC % $(0.877 \cdot \text{THCA}) + \text{THC}$	0.85	

Terpenes	Results (% w/w)
α -Pinene	0.02
Camphene	-
β -Myrcene	0.01
β -Pinene	0.05
δ -3-Carene	0.01
Limonene	0.22
p-Cymene	-
α -Terpinolene	-
Linalool	-
Caryophyllene	0.24
α -Humulene	-
α -Bisabolol	-
Terpinene (total)	0.02
Ocimene (total)	-
Nerolidol (total)	-
Total Terpenes	0.57



Lucky Break
380 Mountain Grove St.
Bridgeport, CT 06605

Date Received: 9/26/2025
Report Date: 10/2/2025
NELabs Report ID: 2599058-01

Peppermint Lucky Spritz 0026

Biotrack ID:

Peppermint Lucky Spritz 0026

8035 4561 9436 2876

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Alcohol (Ethanol)	Below Action Limits	5000 ppm	GC - MS
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 9/26/2025

DATE	Reviewed by	Released by
10/2/2025	<i>Selena Anderson</i>	<i>Zachary Cannone</i>
	Selena Anderson, QA/QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

