

Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 10/13/2025
Report Date: 10/17/2025
NELabs Report ID: 2599243-01

GTHLTBar Vape-101025

Biotrack ID: Ghost Train Haze LT BAR Vape 0.5g

1758 1418 9381 4695

Microbiology	Results	Limits	Methods
Total Aerobic Microbial Count (cfu/g)	<100	100,000	AOAC 990.12
Total Yeast & Mold Count (cfu/g)	<100	100,000	AOAC 2014.05
<i>Aspergillus</i> (flavus, fumigatus, terreus, niger)	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	AOAC 2016.01
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	AOAC PTM#071903
Pass/Fail	Pass		

By HPLC

By GC - MS

Cannabinoids	Results (% w/w)	Dosing (mg/package)
CBDV	-	-
CBDA	-	-
CBGA	-	-
CBG	2.40	12.0
CBD	<LOQ	<LOQ
THCV	<LOQ	<LOQ
CBN	1.35	6.8
Δ^9 THC	85.86	429.3
Δ^8 THC	-	-
CBL	-	-
THCA	-	-
CBC	-	-
Total Cannabinoids	89.61	448.1
Total THC % (0.877*THCA)+THC	85.86	

Terpenes	Results (% w/w)
α -Pinene	0.17
Camphene	-
β -Myrcene	0.69
β -Pinene	0.38
δ -3-Carene	0.17
Limonene	0.52
p-Cymene	-
α -Terpinolene	2.93
Linalool	0.07
Caryophyllene	0.73
α -Humulene	0.18
α -Bisabolol	-
Terpinene (total)	0.33
Ocimene (total)	1.64
Nerolidol (total)	-
Total Terpenes	7.81



Affinity Grow
47 Lower Main St.
Portland, CT 06480

Date Received: 10/13/2025
Report Date: 10/17/2025
NELabs Report ID: 2599243-01

GTHLTBar Vape-101025

Biotrack ID: Ghost Train Haze LT BAR Vape 0.5g

1758 1418 9381 4695

Pesticides	Results	Limits	Methods
Per Sample ≥ 0.5 g	Below Action Limits	Below Action Limits	LC & GC - MS/MS
Pass/Fail	Pass		

Mycotoxins	Results (µg/kg)	Limits (µg/kg)	Methods
Aflatoxins (B1, B2, G1, G2)	Below Action Limits	< 20 each	LC - MS/MS
Ochratoxin-A	Below Action Limits	< 20	
Pass/Fail	Pass		

Heavy Metals	Results	Limits	Methods
As, Cd, Pb, Hg, Cr	Below Action Limits	Below Action Limits	ICP - MS
Pass/Fail	Pass		

Residual Solvents	Results	Limits	Methods
Solvent Panel	Below Action Limits	1000 ppm individual 5000 ppm total	GC - MS
Pass/Fail	Pass		

Ingredient Testing	Results	Limits	Methods
Restricted Ingredient Panel	Not Detected	Absent	FTIR
Pass/Fail	Pass		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 10/13/2025

DATE 10/17/2025	Reviewed by <i>Selena Anderson</i> Selena Anderson, QA/QC	Released by <i>Zachary Cannone</i> Zachary Cannone, Laboratory Director
---------------------------	--	--

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025: 2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(refer to joint ISOILAC-IAF Communiqué dated April 2017).
Not all results and/or analytes reported are obtained for ISO accredited testing methods.
Please refer to our ISO certificate for a full list of testing under our scope of accreditation.



30 Cold Spring Rd. Rocky Hill, CT 06067 • www.nelabsct.com • 860-828-9787

PJLA Testing ISO/IEC 17025:2017 Accreditation #: 99258

State of CT: ACTL.0000004

